

# Plant Quarantine Manual

Department of Economic Development, Jobs,  
Transport and Resources

Version 26.3

## REVISION REGISTER

Date of Issue	Amendment Details
23/07/2012	Version 24.0: remove fenthion treatment option for strawberries (C3A); exempt kaffir lime leaves (C30); revoke myrtle rust conditions (C45A-D); remove reference to certification schemes (C50A)
21/01/2013	Version 25.0: remove lettuce leaf blight (8.1, 8.2); new condition (2B); amend requirements for pre-harvest treatment (C3B); review fenthion treatment options for capsicums and tomatoes, and amend post-harvest treatment requirements (C6B, C6D-E, C7A-B); add lamb hass avocado (C13B); new condition for QFF host produce (C15C); remove conditions for lettuce leaf blight (C41A-D);
02/06/2015	Version 26.0: general document review; update table of conditions; revoke conditions (2B and 15C); require permits for QFF host produce entering PFA (C1); refer QFF conditions 4, 5, 6A, 6B, 6C, 6D, 6E, 8, 9, 10, 11A, 12A, 12B, 12C, 12D, 14, 15A, 15B, 16, 17A, 17B to condition 1; update fumigation requirements as per APVMA permit (C16); amend potato for propagation conditions (C26A); amend inspection conditions for lupins (C27A); amend requirements to include straw and fodder (C27B); new condition for lupin grain for human consumption (C27E); new conditions for cucumber green mottle mosaic virus (C47A, C47B, C47C, C47D).
06/01/2016	Version 26.1: revoke conditions for cucumber green mottle mosaic virus (C47A-47D); amend lupin anthracnose entry conditions (C27A-27F); revoke lupin grain for human consumption (C27E).
01/03/2016	Version 26.2: add requirements for potato spindle tuber viroid (PSTVd) (C48); amend Melbourne Market Fax number (C36B, C42).
01/07/2016	Version 26.3: add requirements for pyriform scale (C49); revoke conditions for post harvest fenthion treatment for Mediterranean fruit fly (C7A-7B); amend RIFA entry condition to include processing by a mechanical method(36C); change of green snail requirement from sprayed with methiocarb to an approved molluscicide (23B); amend green snail condition for cut flowers, foliage, cuttings or bare rooted plants to specify certification requirements only required during April to November inclusive (23C).

Copyright State Government of Victoria, Department of Economic Development, Jobs, Transport and Resources 2016

This publication is copyright. No part may be reproduced by any process except in accordance with the provisions of the Copyright Act 1968.

ISBN 978-1-74217-421-1

For further clarification or advice on any area covered in this publication, contact the Customer Service Centre on 136 186 or at [www.agriculture.vic.gov.au/psb](http://www.agriculture.vic.gov.au/psb)

Authorised by the Victorian Government

Department of Economic Development, Jobs, Transport and Resources

475 Mickleham Rd, Attwood, Victoria, 3049

#### Disclaimer

The information provided in this document reflects the requirements as of the date of printing. The information may be subject to change without notice depending on the change in the pest and disease status in Victoria or in other States or Territories. Regular checking of current requirements is therefore recommended. In no event will the State of Victoria, Department of Economic Development, Jobs, Transport and Resources, its agents, instrumentalities and employees be liable for neither the accuracy of the information contained in this document nor its use of reliance placed on it.

#### Note:

Mention of a trade name or company in this document does not imply endorsement of any product or company by the Department of Economic Development, Jobs, Transport and Resources.

# Contents

<b>1. Introduction .....</b>	<b>6</b>
<b>2. Aim .....</b>	<b>6</b>
<b>3. Definitions .....</b>	<b>6</b>
<b>4. Distribution .....</b>	<b>7</b>
<b>5. General Procedures .....</b>	<b>7</b>
5.1. Verification .....	8
<b>6. Packaging .....</b>	<b>8</b>
<b>7. Labelling .....</b>	<b>8</b>
<b>8. Travelling into Victoria .....</b>	<b>8</b>
8.1. Pests and diseases of concern .....	8
8.2. Summary of movement conditions .....	9
<b>9. Conditions of Entry .....</b>	<b>16</b>
Condition 1 - Prohibited Items .....	16
Condition 2A - Area Freedom Certification .....	16
Condition 2B - Queensland Fruit Fly: New South Wales FFEZ .....	16
Condition 3A - Queensland Fruit Fly: Pre-harvest treatment .....	16
Condition 3B - Mediterranean Fruit Fly: Pre-harvest treatment .....	16
Condition 4 - Queensland Fruit Fly: Pre-harvest baiting and post-harvest inspection .....	16
Condition 5 - Queensland Fruit Fly: Pre-harvest treatment, inspection .....	16
Condition 6A - Queensland Fruit Fly: Post-harvest dimethoate dip .....	16
Condition 6B - Queensland Fruit Fly: Post-harvest fenthion dip .....	17
Condition 6C - Queensland Fruit Fly: Post-harvest dimethoate flood spray .....	17
Condition 6D - Queensland Fruit Fly: Post-harvest fenthion flood spray .....	17
Condition 6E - Queensland Fruit Fly: Post-harvest fenthion non-recirculating spray .....	17
Condition 7A - Mediterranean Fruit Fly: Post-harvest fenthion dip .....	17
Condition 7B - Mediterranean Fruit Fly: Post-harvest fenthion flood spray .....	17
Condition 8 - Queensland Fruit Fly: Post-harvest hot water treatment .....	17
Condition 9 - Queensland Fruit Fly: High temperature forced air .....	17
Condition 10 - Queensland Fruit Fly: Vapour heat treatment .....	17
Condition 11A - Queensland Fruit Fly: Post-harvest cold treatment .....	17
Condition 11B - Mediterranean Fruit Fly: Post-harvest cold treatment .....	17
Condition 12A - Queensland Fruit Fly: Mature green condition .....	17
Condition 12B - Queensland Fruit Fly: Unbroken skin .....	17
Condition 12C - Queensland Fruit Fly: Mature green and fumigation .....	17
Condition 12D - Queensland Fruit Fly: Hard green condition .....	18
Condition 13A - Mediterranean Fruit Fly: Mature green .....	18
Condition 13B - Mediterranean Fruit Fly: Hard green condition .....	18
Condition 14 - Queensland Fruit Fly: Organic produce .....	19
Condition 15A - Queensland Fruit Fly: Fruit for processing .....	19
Condition 15B - Queensland Fruit Fly: Fruit for export .....	19
Condition 15C - Queensland Fruit Fly: Inspection .....	19
Condition 16 - Queensland and Mediterranean Fruit Fly: Fumigation .....	19
Condition 17A - Queensland Fruit Fly: Repacked produce .....	19
Condition 17B - Queensland Fruit Fly: Imported produce .....	19
Condition 17C - Queensland Fruit Fly: Split consignments .....	19
Condition 18A - Queensland and Mediterranean Fruit Fly : Post-harvest irradiation .....	19

Condition 19A	- Queensland and Mediterranean Fruit Fly: Diagnostic samples .....	20
Condition 20A	- Annual Ryegrass Toxicity: Plants and plant products .....	20
Condition 20B	- Annual Ryegrass Toxicity: Agricultural equipment and packages .....	21
Condition 22	- Citrus Red Mite .....	21
Condition 23A	- Green Snail: Properties between 2km and 25km of an infestation.....	21
Condition 23B	- Green Snail: Properties within 2km of an infested property.....	22
Condition 23C	- Green Snail: Cut flowers, foliage, plant cuttings or bare rooted plants.....	22
Condition 23D	- Green Snail: Properties more than 25km from an infestation .....	22
Condition 23E	- Green Snail: Processed product.....	23
Condition 24	- Onion Smut.....	23
Condition 25A	- Grape Phylloxera: Table grapes.....	23
Condition 25B	- Grape Phylloxera: Wine grapes.....	23
Condition 25C	- Grape Phylloxera: Grape must and unfiltered juice .....	24
Condition 25D	- Grape Phylloxera: Grape marc.....	24
Condition 25E	- Grape Phylloxera: Germplasm .....	24
Condition 25F	- Grape Phylloxera: Diagnostic samples .....	24
Condition 25G	- Grape Phylloxera: Cuttings and rootlings.....	25
Condition 25H	- Grape Phylloxera: Potted vines.....	25
Condition 25I	- Grape Phylloxera: Agricultural equipment and packages.....	25
Condition 25J	- Grape Phylloxera: Filtered juice.....	25
Condition 25K	- Grape Phylloxera: Soil .....	25
Condition 26	- Potato Cyst Nematode: Potatoes for planting/propagation .....	26
Condition 27A	- Lupin Anthracnose: Plants .....	27
Condition 27B	- Lupin Anthracnose: Lupin grain, husks, hay, straw and fodder .....	27
Condition 27C	- Lupin Anthracnose: Agricultural equipment or packages .....	27
Condition 27D	- Lupin Anthracnose: Diagnostic samples.....	27
Condition 27E	- Lupin Anthracnose: Grain for human consumption .....	27
Condition 27F	- Lupin Anthracnose: Seed for sowing .....	27
Condition 28	- Spiralling Whitefly.....	28
Condition 30	- Citrus Tristeza Virus: Plants or plant parts.....	28
Condition 33	- Noxious Weeds: Guidance only .....	28
Condition 35A	- Asparagus Stem Blight: Asparagus spears and seeds.....	28
Condition 35B	- Asparagus Stem Blight: Agricultural equipment and packages .....	29
Condition 36A	- Fire Ant: Properties more than 5km from an infestation .....	29
Condition 36B	- Fire Ant: Plants .....	29
Condition 36C	- Fire Ant: Landscaping materials and soil.....	30
Condition 36D	- Fire Ant: Agricultural equipment and packages.....	30
Condition 36E	- Fire Ant: Hay and straw.....	30
Condition 36F	- Fire Ant: Turf .....	30
Condition 37A	- Blueberry Rust: Plants or plant products .....	31
Condition 37B	- Blueberry Rust: Fruit .....	31
Condition 37C	- Blueberry Rust: Ornamental plants.....	31
Condition 37D	- Blueberry Rust: Agricultural equipment and packages .....	31
Condition 38A	- Daylily Rust: Daylily Plants .....	32
Condition 38B	- Daylily Rust: Agricultural equipment and packages.....	32
Condition 41A	- Lettuce Leaf Blight: Leafy green vegetables.....	32
Condition 41B	- Lettuce Leaf Blight: Seedlings .....	32
Condition 41C	- Lettuce Leaf Blight: Agricultural equipment and packages .....	32
Condition 41D	- Lettuce Leaf Blight: Soil.....	32
Condition 42	- Tomato Yellow Leaf Curl Virus .....	33
Condition 43A	- Electric Ant: Plants.....	33
Condition 43B	- Electric Ant: Landscaping materials and soil .....	34
Condition 43C	- Electric Ant: Hay and straw .....	34
Condition 43D	- Electric Ant: Turf.....	34
Condition 43E	- Electric Ant: Agricultural equipment and packages .....	34

---

Condition 44	- European House Borer .....	35
Condition 45A	- Myrtle Rust: Plants and plant products.....	35
Condition 45B	- Myrtle Rust: Agricultural equipment and packages .....	35
Condition 45C	- Myrtle Rust: Diagnostic samples .....	35
Condition 45D	- Myrtle Rust: Seeds .....	35
Condition 47A	- Cucumber Green Mottle Mosaic Virus: Fruit .....	35
Condition 47B	- Cucumber Green Mottle Mosaic Virus: Plants or plant parts .....	35
Condition 47C	- Cucumber Green Mottle Mosaic Virus: Agricultural equipment and packages .....	35
Condition 47D	- Cucumber Green Mottle Mosaic Virus: Earth material.....	36
Condition 48	- Potato Spindle Tuber Viroid .....	36
Condition 49	- Pyriform Scale.....	36
Condition 50A	- Toolangi Plant Protection District: Potato tubers, rubus and strawberry plants .....	36
Condition 50B	- Toolangi Plant Protection District: Agricultural equipment and used containers.....	37
Condition 50C	- Toolangi Plant Protection District: Nursery plants, cut flowers or leafy vegetables.....	37
Attachments	.....	37

## 1. Introduction

The conditions described in this Plant Quarantine Manual have been established under Orders and Schedules made under the **Plant Biosecurity Act 2010** and the **Plant Biosecurity Regulations 2012**.

## 2. Aim

The Plant Quarantine Manual aims to provide a clear understanding of the conditions of entry into Victoria for plant and plant products, and other materials which may host plant pests or diseases.

## 3. Definitions

Agricultural Equipment	means any equipment which has been used for the culture, harvesting, handling, packing, processing of any plant or plant product and includes any vehicle.
Annual Ryegrass Toxicity	means the disease of livestock caused by eating annual ryegrass plant material infected jointly with the nematode ( <i>Anguina funesta</i> ) and the bacterium ( <i>Rathayibacter toxicus</i> ).
APVMA	means the Australian Pesticide and Veterinary Medicines Authority.
Area Freedom Certificate	means a certificate provided by the chief inspector responsible for quarantine in a state or territory stating that the state or territory, or part thereof is known to be free from a pest or disease.
Asparagus Stem Blight	means the exotic disease caused by the fungus <i>Phomopsis asparagi</i> (Sacc.) Bubák.
Blueberry Rust	means the exotic disease caused by the fungus <i>Thekospora minima</i> .
Citrus Red Mite	means the exotic pest <i>Panonychus citri</i> (McGregor).
Citrus Tristeza Virus	means the exotic disease caused by the stem pitting strain of the citrus tristeza virus.
Commodity	means a type of plant, plant product, or other article being moved for trade or other purpose.
Compliance Agreement	means a written agreement between the department and a business to enable an authorised person to verify certification with specified plants and plant products imported from interstate.
Daylily Rust	means the exotic disease caused by the fungus <i>Puccinia hemerocallidis</i> .
Earth material	means soil, gravel, sand or rocks.
Electric Ant	means the exotic pest <i>Wasmannia auropunctata</i> (Roger).
European house borer	means the exotic pest <i>Hylotrupes bajulus</i> (Linnaeus).
Fire Ant	means the exotic pest <i>Solenopsis invicta</i> (Buren).
Filtered Juice	means juice filtered to achieve a particle size of less the 50 micron.
Fruit	means fresh, not processed, fruit.
Grape Phylloxera	means the pest <i>Daktulosphaira vitifoliae</i> (Fitch).
Green Snail	means the exotic pest <i>Cantareus apertus</i> (Born).
Hay and straw	includes baled organic material and fodder.
Interstate Certification Assurance (ICA)	means a system of Certification Assurance developed to meet the requirements of state and territory governments for the certification of produce for interstate and intrastate quarantine purposes.
Landscaping material	means any non-liquid combination of organic material, potting media, sand, coal fines, dried bio-solids or mulch.
Lupin Anthracnose	means the exotic disease caused by the fungus <i>Colletotrichum lupini</i> (Bondar Nirenberg et al.
Mediterranean Fruit Fly	means the exotic pest <i>Ceratitis capitata</i> (Wiedemann).
Onion Smut	means the exotic disease caused by the fungus <i>Urocystis cepulae</i> (Frost).

Package	means an article in which a plant or plant product is, or has been, contained, wrapped or packed, and includes bulk containers.
Pinewood	means any wood from trees of the genera <i>Abies</i> , <i>Picea</i> , <i>Pinus</i> or <i>Pseudotsugata</i> .
Plant	means any member of the vegetable kingdom and includes any tree, vegetable, vine and edible fungi but does not include any plant product.
Plant Health Assurance Certificate (PHAC)	means a certificate issued by a person accredited by the department responsible for agriculture in a State or Territory.
Plant Health Certificate (PHC)	means a certificate issued by an inspector, inspection agent or officer of a department responsible for agriculture in a State or Territory.
Plant Health Declaration	means a declaration issued by an authorised person.
Plant Part	means any part of a plant including cuttings, leaves or roots, but not fruit.
Plant Product	means the whole or part of any flower, fruit, nut, seed, leaf, bulb, corm, tuber or stem which has been separated from a plant and includes dried plant material and sawn or dressed timber.
Potato Cyst Nematode	means the pest <i>Globodera rostochiensis</i> (Wollenweber) Skarbilovich.
Processed fruit	means fruit which has been processed into another form for domestic consumption and includes cooking, drying, freezing, pickling, segmenting.
Pyriform Scale	means the pest <i>Protopulvinaria pyriformis</i> (Cockerell).
Queensland Fruit Fly	means the pest <i>Bactrocera tryoni</i> (Froggatt).
Seasoned pinewood	means pinewood that has a moisture content of 20% or less when tested in accordance with AS1080.1–1997 Timber: methods of test – moisture content.
Spiralling Whitefly	means the exotic pest <i>Aleurodicus dispersus</i> (Russell).
State Department of Agriculture	of includes a department in another State or Territory administering the Act of that State of Territory corresponding with the <i>Plant Biosecurity Act 2010</i> .
Structural pinewood	means any pinewood which is part of an existing building or is to be used in the construction of a building.
Treatment	means a process or procedure required to be carried out in respect of any plant or plant product and includes the specification of the condition or maturity of a plant product.
Turf	means any grass sod with soil or potting media attached.
Used Package	means any article in which a plant or plant product has been contained, wrapped or packed, and includes bulk containers.
Verification	means the examination of a consignment to ensure the contents match details on accompanying certification and the certification is correct by an inspector or a person accredited to do so.
Western Flower Thrips	means the pest <i>Frankliniella occidentalis</i> (Pergande).

## 4. Distribution

This manual shall be available on the web, located at [www.agriculture.vic.gov.au/psb](http://www.agriculture.vic.gov.au/psb). The chief inspector of each interstate Quarantine Authority will be advised when updates are issued.

**Note: Plant biosecurity legislation, chemical labels and APVMA permits are subject to ongoing change, the information contained in this document cannot be guaranteed as up to date.**

## 5. General Procedures

Specific plants, plant products and other pest and disease host materials are prohibited entry into Victoria unless accompanied by a Plant Health Certificate (PHC) or Plant Health Assurance Certificate (PHAC) certifying compliance with relevant conditions of entry (see Section 8). Commodities, which are not prohibited and are hosts of a specified pest or disease may enter Victoria without certification in relation to that pest or disease if sourced from an area of another state or territory covered by an area freedom certificate.

## 5.1. Verification

An importer may be required to present host commodities and accompanying certification for verification by an inspector or a person accredited by the department to verify the material and certification. .

## 6. Packaging

Packages of all fruit, vegetables or nuts must be clean to touch and free of extraneous visible matter and objectionable odour and in good repair.

## 7. Labelling

Packages containing any fruit, vegetable or nut must be legibly marked with the following:

- (1) the kind of fruit, vegetable or nut (name of commodity); and
- (2) in the case of prescribed fruit, vegetables or nuts\*-
  - (a) the name and postcode of the city or town nearest to the locality where they were grown, or
  - (b) an approved code indicating the location of packing or production; and
- (3) in the case of a commodity certified under an accreditation (e.g. ICA Scheme), information as required by the specific Procedure.

\*details of prescribed fruit, vegetables and nuts are provided in the **Plant Biosecurity Regulations 2012**.

## 8. Travelling into Victoria

### 8.1. Pests and diseases of concern

The potential hosts of the prescribed pests and diseases listed in this index include plants, plant products and other carriers such as machinery, equipment used in the harvest, handling and processing of plants and plant products, used packages and earth material.

ARGT	Annual Ryegrass Toxicity	NW	Noxious Weeds
ASB	Asparagus Stem Blight	OS	Onion Smut
LA	Lupin Anthracnose	PCN	Potato Cyst Nematode
BR	Blueberry Rust	PHY	Grape Phylloxera
CRM	Citrus Red Mite	PS	Pyriform Scale
CTV	Citrus Tristeza Virus	PSTVd	Potato Spindle Tuber Viroid
DR	Daylily Rust	QFF	Queensland Fruit
EHB	European House Borer	RIFA	Fire Ant
EA	Electric Ant	SW	Spiralling Whitefly
GS	Green Snail	TYLCV	Tomato Yellow Leaf Curl Virus
MFF	Mediterranean Fruit Fly	WFT	Western Flower Thrips



## 8.2. Summary of movement conditions

Hosts are listed alphabetically in column 1, the entry conditions in columns 2 & 3 while relevant pests and diseases are in column 4.

Alternative conditions of entry are separated by a slash (/). Additional conditions are separated by a comma (,).

Host	Conditions (for fruit and vegetables)	Conditions (for plants, equipment, soil etc)	Pest / Disease
Abiu	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Acerola	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28, 33,36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Achachairu	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Apple	see pome fruit	-	-
Apricot	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Aquatic Plants	-	2A/23A/23B/23C/23D,28,33,	GS,SW,NW
Asparagus	2A/35A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	GS,SW,ASB,RIFA,EA,NW
Atemoya	see custard apple	-	-
Avocado	1/2A/11B/13B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Babaco	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Banana	1/2A/11B/13A/16/19A	22A/3A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Beetroot	see root vegetable	-	-
Berries (not specified elsewhere)	1/2A/11B/16/19A/37B	2A/23A/23B/23C/23D,28,33, 36A/36B,37A/37C,43A,49	QFF,MFF,GS,SW,RIFA,EA, BR, NW,PS
Biriba	see rollinia	-	-
Black Sapote (Black Persimmon)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Blackberry	see berries	-	-
Blueberry	1/2A/11B/16/19A/37B	2A/23A/23B/23C/23D,28,33, 36A/36B,37A,43A	QFF,MFF,GS,SW,RIFA, EA,BR,NW
Boysenberry	see berries	-	-
Brazil Cherry (Grumichama)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Breadfruit	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Bulbs	2A/24/26	2A/24,33	OS,NW
Caimito	see star apple	-	-
Cape Gooseberry	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,42,43A	QFF,MFF,GS,SW,RIFA,EA, NW, TYLCV

Host	Conditions (for fruit and vegetables)	Conditions (for plants, equipment, soil etc)	Pest / Disease
Capsicum	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,42,43A	QFF,MFF,GS,SW,RIFA,EA, NW,TYLCV
Carambola	see star fruit	-	-
Carrot	see root vegetable	-	-
Cashew Apple	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Casimiroa	see white sapote	-	-
Cereal	see grain	-	-
Cherimoya	see custard apple	-	-
Cherry	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Chilli	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,42,43A	QFF,MFF,GS,SW,RIFA,EA, NW,TYLCV
Chives	see onion	-	-
Choko	2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	MFF,GS,SW,RIFA,EA,NW
Citron	see citrus	-	-
Citrus	1/2A/11B/16/19A	2A/22,23A/23B/23C/23D,28, 30,33,36A/36B,43A,49	QFF,MFF,CRM,CTV,GS, SW,RIFA,EA,NW,PS
Cocoa Berry	1/2A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Coffee Berry	2A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	MFF,GS,SW,RIFA, EA,NW,PS
Corn	see vegetables	-	-
Cumquat	see kumquat	-	-
Custard Apple	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Date (dried)	2A/11B/16	-	MFF,NW
Date (fresh)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Daylily Plants	-	2A/23A/23B/23C/23D,28,33, 36A/36B,38A,43A	PCN,SW,RIFA,EA,NW,GS, DR
Diagnostic Samples	2A/19A	2A/25F/25K,27D,36C,49	RIFA,LA,MFF,PHY,QFF,PS
Durian	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Egg Plant (Aubergine)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Equipment	see machinery	-	-
Feijoa	see guava	-	-
Fig	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Garlic	see onion	-	-

Host	Conditions (for fruit and vegetables)	Conditions (for plants, equipment, soil etc)	Pest / Disease
Germplasm	-	2A/25E	PHY
Goji Berry	1/2A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Grain	-	2A/20A,27B/27F,33	ARGT,LA,NW
Granadilla	see passionfruit	-	-
Grape	1/2A/11B/16/18A/19A/25A/25B	2A/23A/23B/23C/23D, 25C/25D/25E/25F/25G/25H/ 25K,28,33,36A/36B,43A	QFF,MFF,GS,SW,NW,RIFA EA,PHY
Grapefruit	see citrus	-	-
Grumichama	see Brazil cherry	-	-
Guava	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Hay	-	2A/20A,23A/23B/23D,27B, 33,36A/36E,43C	ARGT,GS,RIFA,EA,LA,NW
Hog Plum	see vai apple	-	-
Jaboticaba	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Jack Fruit	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Ju Jube	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Kiwi Fruit (Chinese Gooseberry)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Kumquat	see citrus	-	-
Leek	2A/24/26	2A/23A/23B/23C/23D,24,28, 33,36A/36B,43A	OS,GS,SW,RIFA,EA,NW
Lemon	see citrus	-	-
Lettuce	2A/23A/23B/23D/23E,28,33	2A/23A/23B/23D,28,33, 36A/36B,43A	GS,SW,RIFA,EA,NW
Lime	1/2A/11B/16/19A	2A/22,23A/23B/23C/23D,28, 30,33,36A/36B,43A,49	QFF,MFF,CRM,CTV,GS, SW,RIFA,EA,NW,PS
Loganberry	see berries	-	-
Longan	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Loquat	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Lucerne	-	2A/20A,23A/23B/23D,33, 36A/36B,43A,49	ARGT,GS,RIFA,EA,NW,PS
Lupin	-	2A/20A/23A/23B/23D, 27A/27B/27D/27F,28,33, 36A/36B,43A,49	ARGT,LA,GS,SW,NW, RIFA,EA,NW
Lychee (Litchi)	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW

Host	Conditions (for fruit and vegetables)	Conditions (for plants, equipment, soil etc)	Pest / Disease
Machinery	-	2A/20B,25I,27C,33,35B, 36A/36D,37D,38B,43E	ARGT,ASB,BR, DR,EA,RIFA,LA,NW,PHY
Maize	see vegetables	-	-
Mandarin	see citrus	-	-
Mango	1/2A//11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Mangosteen	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Medlar	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Miracle Fruit	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43B	QFF,MFF,GS,SW,RIFA,EA, NW
Monstera	2A/11B/16	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	MFF,GS,SW,RIFA,EA,NW, PS
Mulberry	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Nashi	see pome fruit	-	-
Nectarine	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Olive	2A/11B/16	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	MFF,GS,SW,RIFA,EA,NW, PS
Onion	2A/24	2A/23A/23B/23C/23D,24,28, 33 36A/36B,43A	OS,GS,SW,RIFA,EA,NW
Orange	see citrus	-	-
Organics	1/2A/14	-	QFF
Packages	-	2A/25I,27C,35B,36A/36D, 37D,38D	ASB,BR,DR,LA, PHY,RIFA
Parsnip	see root vegetable	-	-
Passionfruit	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Pawpaw (Papaya)	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Pasture hay	see hay	-	-
Peach	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Peacharine	see stonefruit	-	-
Pear	see pome fruit	-	-
Pepino (Tree tomato)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Persimmon	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS

Host	Conditions (for fruit and vegetables)	Conditions (for plants, equipment, soil etc)	Pest / Disease
Plants (not specified elsewhere)	-	2A/20A,22,23A/23B/23C/23D, 24,25H,27A,28,30,33,36A/36B 37A/37C,42,43A,49	ARGT,BR,CRM,CTV,DR, EA,RIFA,GS,LA,OS,PHY, SW,NW,TYLCV,PS
Plum	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Plumcot	see stonefruit	-	-
Pome Fruit	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Pomegranate	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Potato	see root vegetable	-	-
Prickly Pear	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Pummelo	see citrus	-	-
Quince	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Radish	see root vegetable	-	-
Rambutan	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Raspberry	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Rollinia (Biriba)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Root Vegetable	2A/26	2A/23A/23B/23D,26,36A/36B,43A,48,49	GS,PCN,RIFA,EA,PSTVd, PS
Rose Apple	see wax jambu	-	-
Rutabaga	see root vegetable	-	-
Santol	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Sapodilla (Chicosapote)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Sapote	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
Seeds	-	2A/24,27A/27B/27F,33,35A	NW,ASB,OS,LA
Seed Potato	see root vegetable	-	-
Swede	see root vegetable	-	-
Sweet Potato	see root vegetable	-	-
Shaddock	see citrus	-	-
Shallots	see onion	-	-

Host	Conditions (for fruit and vegetables)	Conditions (for plants, equipment, soil etc)	Pest / Disease
Soil (incl. potting media & mulch)	-	2A/25K,33,36C,43B	PHY,NW,RIFA,EA
Soursop (Guanabana)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Spring Onion	see onion	-	-
Star Apple	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Star Fruit (Carambola)	1/2A/11B/16/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Stockfeed	-	2A/20A,23A/23B/23C/23D, 27A/27B,33,36E,43A/43C	ARGT,GS,RIFA,EA,LA,NW
Stone Fruit (not specified elsewhere)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Strawberry	1/2A/18A/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,GS,SW,RIFA,EA,NW
Sugar Apple	see custard apple	-	-
Sweetsop	see custard apple	-	-
Tahitian Lime	see citrus	-	-
Tamarillo	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A	QFF,MFF,GS,SW,RIFA,EA, NW
Tangelo	see citrus	-	-
Tangerine	see citrus	-	-
Tangor	see citrus	-	-
Timber	-	44	EHB
Tomato	1/2A/3B/11B/13A/16/18A/19A	2A/23A/23B/23C,28,33, 36A/36B,42,43A	QFF,MFF,GS,SW,RIFA,EA, NW,TYLCV
Turf	-	2A/33,36A/36F,43D	RIFA,EA,GS,NW
Turnip	see root vegetable	-	-
Vai Apple (Hog Plum)	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA, EA,NW,PS
Vegetables (not specified elsewhere)	1/2A/23A/23B/23C/23E/24/26	2A/23A/23B/23C/23D,24,28, 33,36A/36B,43A,49	GS,OS,SW,NW,RIFA,EA,PS
Wax Jambu	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS
White Sapote	1/2A/11B/16/19A	2A/23A/23B/23C/23D,28,33, 36A/36B,43A,49	QFF,MFF,GS,SW,RIFA,EA, NW,PS

**Table 2 – Index of Conditions for Movement into the Toolangi Plant Protection District (PPD)**

The area surrounding the township of Toolangi, Victoria has been declared to be a control area, called the Toolangi PPD. The import of any nursery plants, cut flowers, leafy vegetables, potato tubers, *Rubus spp.* or strawberry plants into the Toolangi PPD is prohibited unless the following conditions of entry are satisfied.

Hosts are listed in column 1, entry conditions are in columns 2 & 3 and pests and diseases are in column 4.

Host	Conditions (for plants, equipment, soil etc)	Conditions (for fruit and vegetables)	Pest / Disease
Equipment	-	50B	
Plants (not specified elsewhere)	50B, 50C	50C	WFT
Potatoes	50B, 50C	50A, 50C	WFT
Rubus	50A, 50B, 50C	50C	WFT
Strawberry	50A, 50B, 50C	50C	WFT
Used Containers	50B	-	

## 9. Conditions of Entry

### Condition 1 - Prohibited Items

Any Queensland fruit fly (QFF) host produce (attachment 1) entering or being imported into the Greater Sunraysia Pest Free Area (PFA) is prohibited. Importers must apply for a Victorian Government issued permit to import QFF host produce into the PFA.

Contact your local inspector through the Department's Customer Service Centre on 136 186 to obtain a permit.

**Documentation requirement:** Permit (and PHC, PHAC or Plant Health Declaration where required).

### Condition 2A - Area Freedom Certification

Unless prohibited (see Condition 1), any host material, agricultural equipment or used package may enter any part of Victoria without restriction if an Area Freedom Certificate certifying that the State or Territory, or any part of the State or Territory where the host material, agricultural equipment or used package was grown, packed, sourced or last used, is known to be free from a specified pest or disease. Note multiple conditions may need to be considered for any particular material.

Note: Any notification or advice of an outbreak of a pest or disease is taken to be an amendment to the relevant Area Freedom Certificate. In these cases host material may no longer be accepted under area freedom.

**Documentation requirement:** Area Freedom Certificate.

### Condition 2B - Queensland Fruit Fly: New South Wales FFEZ

Condition revoked.

### Condition 3A - Queensland Fruit Fly: Pre-harvest treatment

See Condition 1.

### Condition 3B - Mediterranean Fruit Fly: Pre-harvest treatment

Any tomatoes grown in a place covered by an Area Freedom Certificate declaring area freedom from Mediterranean fruit fly may enter Victoria without restriction, otherwise-

- (1) the entry of importation of **field grown tomatoes** into Victoria is prohibited unless certified that each block of tomatoes for certification has been treated with a program of cover sprays consisting of:
  - a) a trichlorfon mixture in a high volume application containing 250ml of a 500g/L product per 100L of spray mixture in the first application to a block; and
  - b) in a high volume application containing 125ml of a 500g/L product per 100L of spray mixture in all subsequent spray applications; and
  - c) applied thoroughly to the fruit to the point of run-off; and
  - d) commencing a minimum of three (3) weeks prior to harvest;
  - e) reapplication at a maximum interval of every ten (10) days; and
  - f) ending seven (7) days prior to completion of harvest; and
- (2) post-harvest inspected and found free of fruit fly, where one package in every 50 packages or part thereof; or 600 units are inspected.

**Documentation requirement:** PHC, PHAC under ICA-26 or Plant Health Declaration.

### Condition 4 - Queensland Fruit Fly: Pre-harvest baiting and post-harvest inspection

See Condition 1.

### Condition 5 - Queensland Fruit Fly: Pre-harvest treatment, inspection

See Condition 1.

### Condition 6A - Queensland Fruit Fly: Post-harvest dimethoate dip

See Condition 1.



Condition 6B - Queensland Fruit Fly: Post-harvest fenthion dip

See Condition 1.

Condition 6C - Queensland Fruit Fly: Post-harvest dimethoate flood spray

See Condition 1.

Condition 6D - Queensland Fruit Fly: Post-harvest fenthion flood spray

See Condition 1.

Condition 6E - Queensland Fruit Fly: Post-harvest fenthion non-recirculating spray

See Condition 1.

Condition 7A - Mediterranean Fruit Fly: Post-harvest fenthion dip

Condition Revoked.

Condition 7B - Mediterranean Fruit Fly: Post-harvest fenthion flood spray

Condition Revoked.

Condition 8 - Queensland Fruit Fly: Post-harvest hot water treatment

See Condition 1.

Condition 9 - Queensland Fruit Fly: High temperature forced air

See Condition 1.

Condition 10 - Queensland Fruit Fly: Vapour heat treatment

See Condition 1.

Condition 11A - Queensland Fruit Fly: Post-harvest cold treatment

See Condition 1.

Condition 11B - Mediterranean Fruit Fly: Post-harvest cold treatment

Any host produce grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from Mediterranean fruit fly may enter Victoria without restriction, otherwise-

the entry of importation of any **Mediterranean fruit fly host produce** except coffee berries and goji berries into Victoria is prohibited unless certified that the fruit has been postharvest cold treated at a temperature of:

- (1)  $0.0^{\circ}\text{C} \pm 0.5^{\circ}\text{C}$  for at least 14 days; or
- (2)  $1.0^{\circ}\text{C} \pm 0.5^{\circ}\text{C}$  for at least 16 days; or in the case of lemons, 14 days; or
- (3)  $2.0^{\circ}\text{C} \pm 0.5^{\circ}\text{C}$  for at least 18 days; or in the case of lemons, 16 days or
- (4)  $3.0^{\circ}\text{C} \pm 0.5^{\circ}\text{C}$  for at least 20 days; or in the case of lemons, 18 days.

**Caution:** Tropical and subtropical fruit may be subject to chilling injury.

**Documentation requirement:** PHC, PHAC under ICA-07 or Plant Health Declaration.

Condition 12A - Queensland Fruit Fly: Mature green condition

See Condition 1.

Condition 12B - Queensland Fruit Fly: Unbroken skin

See Condition 1.

Condition 12C - Queensland Fruit Fly: Mature green and fumigation

See Condition 1.

**Condition 12D - Queensland Fruit Fly: Hard green condition**

See Condition 1.

**Condition 13A - Mediterranean Fruit Fly: Mature green**

Any banana or tomato grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from Mediterranean fruit fly may enter Victoria without restriction, otherwise-

the entry or importation of **bananas or tomatoes** into Victoria is prohibited unless certified that:

(1) the bananas or tomatoes have been harvested and packed in a mature green condition.

“**mature green condition**” means, in the case of:

- **tomatoes**, that the fruit has no more than a 2 cm diameter area of pink to red colour at the styler end at the time of colour sorting after harvest;
- **bananas**, that the flesh is hard and not flexible, and shows no yellow colouration, except for areas towards the flower end of a fruit in which the sun has bleached the skin, but the flesh beneath is still hard. The skin must have no pre-harvest cracks, splits, punctures or other breaks that penetrate through to the flesh.

**Documentation requirement:** PHC, PHAC under ICA-27 for tomatoes and ICA-16 for bananas or Plant Health Declaration.

**Condition 13B - Mediterranean Fruit Fly: Hard green condition**

Any avocado grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from Mediterranean fruit fly may enter Victoria without restriction, otherwise-

the entry or importation of **avocados** is prohibited unless certified that:

(1) the avocados (Fuerte, Hass, Lamb Hass, Reed and Sharwil varieties only) have been harvested in a hard green condition and stored in secure conditions within 48 hours of harvest.

“**hard green**” means the flesh is not soft, or softening, and the skin is not cracked or broken.

“**secure conditions**” includes-

- unvented packages;
- vented packages with the vents secured with gauze/mesh with a maximum aperture of 1.6 mm;
- fully enclosed under tarpaulins, hessian, shade cloth, mesh or other covering which provides a maximum aperture of 1.6 mm;
- shrink-wrapped and sealed as a palletised unit; or
- fully enclosed or screened buildings, cold rooms, vehicles or other facilities free from gaps or other entry points greater than 1.6 mm.

**Documentation requirement:** PHC, PHAC under ICA-30 or Plant Health Declaration.

**Condition 14 - Queensland Fruit Fly: Organic produce**

See Condition 1.

**Condition 15A - Queensland Fruit Fly: Fruit for processing**

See Condition 1.

**Condition 15B - Queensland Fruit Fly: Fruit for export**

See Condition 1.

**Condition 15C - Queensland Fruit Fly: Inspection**

Condition Revoked.

**Condition 16 - Queensland and Mediterranean Fruit Fly: Fumigation**

See Condition 1 for fumigation requirements for Queensland fruit fly host product.

Any host produce grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from Mediterranean fruit fly may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of **Mediterranean fruit fly host produce** (see attachment 1) except coffee berries and goji berries is prohibited unless certified that the produce has been:

(1) fumigated with methyl bromide at the rate of:

- (a) 10°C - 10.9°C @ 56g/m<sup>3</sup> for 2 hours; or
- (b) 11°C - 15.9°C @ 48g/m<sup>3</sup> for 2 hours; or
- (c) 16°C - 20.9°C @ 40g/m<sup>3</sup> for 2 hours; or
- (d) 21°C+ @ 32g/m<sup>3</sup> for 2 hours.

and

- (2) fumigant loading rates for fruits and vegetables are not less than 30%, nor more than 50%, of the volume of the chamber when empty; and
- (3) the fumigator ensures produce packaged or covered with impervious materials (such as plastic bags, stacked plastic punnets or waxed paper), are opened, cut or removed to allow adequate penetration of the gas unless impervious materials contain:
  - (a) not less than four unobstructed perforations of 6mm diameter per 100cm<sup>2</sup>; or
  - (b) five unobstructed perforations of 5mm diameter per 100cm<sup>2</sup>; or
  - (c) numerous pinholes (at least 6 holes per square centimetre).

**Caution:** Some fruits may be damaged by this treatment. A trial treatment is recommended unless the response of fruits to this treatment is known.

**Documentation requirement:** PHC, PHAC under ICA-04 or Plant Health Declaration.

**Condition 17A - Queensland Fruit Fly: Repacked produce**

See Condition 1.

**Condition 17B - Queensland Fruit Fly: Imported produce**

See Condition 1.

**Condition 17C - Queensland Fruit Fly: Split consignments**

See Condition 1.

**Condition 18A - Queensland and Mediterranean Fruit Fly : Post-harvest irradiation**

See Condition 1 for post-harvest irradiation of Queensland fruit fly host product.

Any host produce grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from Mediterranean fruit fly may enter Victoria without restriction, otherwise-

the entry or importation of **Mediterranean fruit fly host produce** (see attachment 1) into Victoria is prohibited unless certified that:

- (1) the fruit has undergone post-harvest irradiation, in the case of apple, apricot, breadfruit, capsicum (*Capsicum annuum*), carambolas (star fruit), cherry, custard apples, litchi (lychees), longans, mangoes, nectarine, papaya (paw paw), peach, persimmon, plum, rambutan, strawberry, tomato (*Lycopersicon esculentum*) and table grape, with a minimum dose of 150Gy.

**Documentation requirement:** PHC, PHAC under ICA-55 or Plant Health Declaration.

#### Condition 19A - Queensland and Mediterranean Fruit Fly: Diagnostic samples

See Condition 1 for diagnostic samples of Queensland fruit fly host product.

Any diagnostic samples grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from Mediterranean fruit fly may enter Victoria without restriction, otherwise-

the entry or importation of **diagnostic samples** into Victoria is prohibited unless certified that the samples –

- (1) have been disinfested by-
- (a) autoclaving at-
    - (i) 121°C and 103kPa for 15 minutes; or
    - (ii) 134°C and 103kPa for 4 minutes; or
  - (b) freezing to -18°C for 24 hours; or
  - (c) freezing and transfer under liquid nitrogen at -196°C; or
  - (d) freeze drying; or
  - (e) oven drying to 45°C for 2 hours; or
- (2) are consigned under secure conditions to an approved facility.

“secure conditions” includes-

- unvented packages;
- vented packages with the vents secured with gauze/mesh with a maximum aperture of 1.6 mm;
- fully enclosed under tarpaulins, hessian, shade cloth, mesh or other covering which provides a maximum aperture of 1.6 mm;
- shrink-wrapped and sealed as a palletised unit; or
- fully enclosed or screened buildings, cold rooms, vehicles or other facilities free from gaps or other entry points greater than 1.6 mm.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 20A - Annual Ryegrass Toxicity: Plants and plant products

Any cereal, lucerne, pasture hay or stockfeed grown in a place covered by an Area Freedom Certificate declaring area freedom from Annual Ryegrass Toxicity may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **cereal grain, lucerne** (except lucerne, which is the second or subsequent cut of the season), **pasture hay or stock feed** is prohibited, unless certified that the material:

- (1) has been sampled at the rate of:
- (a) in the case of cereal grain; 100g from every tenth bag, up to a maximum of 400 bags; and
  - (b) in the case of bulk loads, 100g from 4 sample points per 25t, up to a maximum of 500t; and
  - (c) in the case of hay, 80-100g per each 10 bales, up to a maximum of 400 bales; and
- (2) samples must be analysed for the presence of annual rye grass seeds; and:
- (a) no annual ryegrass seeds detected; or
  - (b) where ryegrass seeds are detected, the seeds are examined for the presence of *Anguina funesta* galls: and
    - (i) in the case of hay, or seed for processing, less than one gall per kilogram of sample is detected; and
    - (ii) in the case of seed for planting, no galls detected.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 20B - Annual Ryegrass Toxicity: Agricultural equipment and packages**

Any agricultural equipment, or used package sourced from a place covered by an Area Freedom Certificate declaring area freedom from Annual Ryegrass Toxicity may enter Victoria without restriction, otherwise- the entry or importation into Victoria of **agricultural equipment** used in the growing or transportation of any cereal, hay or stock feed, or **package** that has contained any cereal, hay or stockfeed, is prohibited unless:

- (1) in the case of equipment, cleaned free of plant material and visible soil by-
  - (a) brushing; or
  - (b) high pressure water; or
  - (c) steam; and
- (2) in the case of packages, disinfected by dipping or spray rinsing for one minute with-
  - (a) a solution of phenolic disinfectant (e.g. Biogram or Phensol) followed by rinsing with water; or
  - (b) a solution of at least 50 ppm available chlorine, where the pH is maintained between 6.5 to 7.0; or
  - (c) another disinfectant as approved by the Chief Plant Health Officer.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 22 - Citrus Red Mite**

Any plants grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from citrus red mite may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of **plants or the part of any plant** (excluding the fruit) of *Citrus* species, *Fortunella* species or *Poncirus trifoliata* or **hybrids of Poncirus** is prohibited, unless certified that-

- (1) the property on which the plants have been grown has been inspected by an authorised officer and found free of citrus red mite.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 23A - Green Snail: Properties between 2km and 25km of an infestation**

Any plant in tissue culture or plant grown in a place covered by an Area Freedom Certificate declaring area freedom from green snail may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **plant, including any leafy vegetable, cutting, potted plant, bare rooted plant, mature tree, cut flower, foliage, or hay** is prohibited unless certified that:

- (1) the plants have been grown or packed on a property which has been baited and inspected and found free of green snail, in accordance with the requirements of the WA Protocol; and
- (2) if grown in a propagating/potting media which has a soil component, the media has:
  - (a) originated from, and be stored on, properties which have been baited and inspected and found free of green snails, in accordance with the requirements of the WA Protocol; or
  - (b) has been disinfested in accordance with the requirements of the WA Protocol; or
- (3) in the case of small lots of household potted plants, the plants have been inspected and found free of soil and green snail.

**Note**

“WA Protocol” means the National Protocol for the Movement of Green Snail, (*Cantareus apertus*), Host Material to Other States and Territories of Australia : Quarantine WA

**Documentation requirement:** PHC, PHAC under ICA-46 or Plant Health Declaration.

**Condition 23B - Green Snail: Properties within 2km of an infested property**

Any plant in tissue culture or plant grown in a place covered by an Area Freedom Certificate declaring area freedom from green snail may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **plant, including any leafy vegetable, cutting, potted plant, bare rooted plant, mature tree, cut flower, foliage, or hay** is prohibited unless certified that:

- (1) the plants have been grown or packed on a property which-
  - (a) has been baited and inspected and found free of green snail, in accordance with the requirements of the WA Protocol; and
  - (b) has a control/hygiene program in place to prevent the entry of green snail, in accordance with the requirements of the WA Protocol; and
- (2) if grown in a propagating/potting media which has a soil component, the media has:
  - (a) originated from, and be stored on, properties which have been baited and inspected and found free of green snails, in accordance with the requirements of the WA Protocol; or
  - (b) has been disinfested in accordance with the requirements of the WA Protocol: and
- (3) be sprayed within 2 days prior to export with an approved molluscicide as per the requirements of the WA Protocol; or
- (4) in the case of small lots of household potted plants, the plants have been inspected and found free of soil and green snail.

**Note**

“WA Protocol” means the National Protocol for the Movement of Green Snail, (*Cantareus apertus*), Host Material to Other States and Territories of Australia: Quarantine WA

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 23C - Green Snail: Cut flowers, foliage, plant cuttings or bare rooted plants**

Any plant in tissue culture or plant grown in a place covered by an Area Freedom Certificate declaring area freedom from green snail may enter Victoria without restriction, otherwise-

the entry or importation into Victoria during the months of April to November only of any **cut flowers, foliage, cuttings or bare rooted plants** grown and packed within 25km of a green snail infestation is prohibited unless certified that the plants were:

- (1) grown or packed on a property which has been has been baited and inspected and found free of green snail, in accordance with the requirements of the WA Protocol; or
- (2) inspected by an inspector, or person authorised by the department responsible for agriculture in the State or Territory where the host material is grown, and found to be free of green snail; or
- (3)

**Note**

“WA Protocol” means the National Protocol for the Movement of Green Snail, (*Cantareus apertus*), Host Material to Other States and Territories of Australia: Quarantine WA

**Documentation requirement:** PHC, PHAC under ICA-25 or ICA-46 or Plant Health Declaration.

**Condition 23D - Green Snail: Properties more than 25km from an infestation**

Any plant in tissue culture or plant grown in a place covered by an Area Freedom Certificate declaring area freedom from green snail may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **plant, including any leafy vegetable, cutting, potted plant, bare rooted plant, mature tree, cut flower, foliage, or hay** is prohibited unless certified that:

- (1) the plants were grown and packed on a property more than 25km from a known infestation of green snail.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration

**Condition 23E - Green Snail: Processed product**

Any plant in tissue culture or plant grown in a place covered by an Area Freedom Certificate declaring area freedom from green snail may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **plant, including any leafy vegetable, cutting, potted plant, bare rooted plant, mature tree, cut flower, foliage, or hay** is prohibited unless certified that:

- (1) in the case of any host material intended for human consumption, the material has been-
  - (a) washed through a hydro-cooler or similar processing equipment; and
  - (b) inspected at the rate of 1 package in every 50, at a minimum of 3 packages, and found free of green snail.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration

**Condition 24 - Onion Smut**

Any plant grown in a place covered by an Area Freedom Certificate declaring area freedom from onion smut may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **plant, bulb or seed of the genus *Allium*** (excluding plants in tissue culture) is prohibited.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 25A - Grape Phylloxera: Table grapes**

Any table grapes grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement of **Table Grapes** into Victoria is prohibited unless the grapes have been:

- (1) packed for sale as table grapes, with a registered product containing at least 970g/kg anhydrous sodium metabisulphite at the rate specified on the label or in an APVMA permit; or
- (2) in the case of grapes grown in a PRZ, grown on a block which has been surveyed by an authorised inspector in accordance with National Phylloxera Management Protocols and found free of phylloxera.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration

**Condition 25B - Grape Phylloxera: Wine grapes**

Any wine grapes grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement of **Wine Grapes** into Victoria is prohibited unless certified that-

- (1) in the case of grapes grown in a Phylloxera Infested Zone (see note), the grapes are:
  - (a) packed in bins, supplied by the processor, which have been cleaned free of soil & plant material before delivery; and
  - (b) loaded into transport vehicles on a hard surface, not within the vineyard; and
  - (c) consigned:
    - (i) in bins which are not filled within 200mm of the top, and are securely covered; and
    - (ii) using transport vehicles which have been cleaned free of soil and organic matter; and
    - (iii) along a route approved by a Department inspector; and
    - (iv) with an emergency response plan, approved by a Department inspector, for handling spillages; or
- (2) in the case of grapes grown in a PRZ, the grapes were grown on a property surveyed by an authorised officer within the previous year and found to be free of phylloxera. The consignment must be verified on arrival by an authorised inspector or a business accredited under ICA-33.

**Note:** the movement of wine grapes grown in a PIZ into any place in Victoria, including an area declared as a control area for preventing the spread of phylloxera (i.e. a PIZ) is prohibited.

**Documentation requirement:** PHC, PHAC under ICA-33 or Plant Health Declaration.

**Condition 25C - Grape Phylloxera: Grape must and unfiltered juice**

Any must or juice sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement of **Must and Unfiltered Juice** into Victoria is prohibited unless certified that:

- (1) in the case of whole must, grapes have been de-stemmed and crushed; and
- (2) in the case of juice, grapes have been crushed with or without de-stemming; and
- (3) consigned:
  - (a) using transport vehicles or sealed containers which have been cleaned free of soil and organic matter; and
  - (b) along a route approved by a Department inspector; and
  - (c) with an emergency response plan, approved by a Department inspector, for handling spillages; and
- (4) verified on arrival by a business accredited under ICA-22, or by an authorised inspector.

**Documentation requirement:** PHC, PHAC under ICA-22 or Plant Health Declaration.

**Condition 25D - Grape Phylloxera: Grape marc**

Any marc sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement of **Marc** into Victoria is prohibited unless it has been certified that:

- (1) a fermentation process of at least four days has been completed; or
- (2) composting for at least 3 months has been completed-
  - (a) at least 500m from any grapevines; or
  - (b) in a secure and segregated location; and
- (3) the marc has been packed into a sealed container; and
- (4) the container and transport vehicle have been cleaned free of soil and organic matter.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 25E - Grape Phylloxera: Germplasm**

Any germplasm sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement of **Germplasm** into Victoria is prohibited unless it has been certified that the germplasm:

- (1) has been grown in sterile conditions as tissue culture plants; or
- (2) has been sourced from a unique clone or variety:
  - (a) as approved by the Chief Plant Health Officer; and
  - (b) treated by submerging in a hot water bath for:
    - (i) 5 minutes at 54±1°C;
    - (ii) 30 minutes at 50±1°C; and
  - (c) loosely packed with not more than 10 cuttings of each variety per consignment.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 25F - Grape Phylloxera: Diagnostic samples**

Any diagnostic sample, except soil, sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement of **Diagnostic Samples** into Victoria is prohibited unless certified that the samples have been packed in an air tight container and sealed with packing tape; and

- (1) consigned to an accredited facility; or
- (2) disinfested by:
  - (a) autoclaving at 121°C and 103kPa for 15 minutes; or 134°C and 103kPa for 4 minutes; or
  - (b) freezing to -18°C for 24 hours; or
  - (c) freezing and transfer under liquid nitrogen at -196°C; or



- (d) freeze drying; or
- (e) oven drying to 45°C for 2 hours; or
- (f) hot water treatment at 54±1°C for 5 minutes; or
- (g) fixing in formalin/acetic acid, 70% ethanol etc

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 25G - Grape Phylloxera: Cuttings and rootlings

Any plant sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement of **Cuttings** or **Rootlings** into Victoria is prohibited unless certified that they have been:

- (1) sourced from a Phylloxera Risk Zone; and
  - (a) washed free of soil; and
  - (b) treated by:
    - (i) fumigation with methyl bromide at 32g/m<sup>3</sup> for 3 hours at a temperature of at least 18°C; or
    - (ii) submerging completely in a hot water bath for:
      - a. 5 minutes at 54±1°C;
      - b. 30 minutes at 50±1°C; and
  - (c) packed loosely with no more than 50 plants per bundle; or
- (2) sourced from a Commonwealth post-entry quarantine facility.

**Documentation requirement:** PHC, PHAC under ICA-37 or Plant Health Declaration.

#### Condition 25H - Grape Phylloxera: Potted vines

Any potted vine sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-  
the movement of **Potted Vines** into Victoria is prohibited.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 25I - Grape Phylloxera: Agricultural equipment and packages

Any agricultural equipment or package sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera may enter Victoria without restriction, otherwise-

the movement into Victoria of any **equipment** used to cultivate or harvest grapes or grape vines and **packages** used to contain grapes or grape vines is prohibited unless certified that the equipment or packages have been:

- (1) thoroughly cleaned with a steam cleaner or high pressure hot water to remove all soil and plant debris; and
- (2) disinfested by:
  - (a) steam applied at a temperature above 100°C, as measured at the steam outlet; or
  - (b) by immersion in hot water (>70°C) for at least 2 minutes at temperature, or
  - (c) placing in a hot room:
    - (i) for at least 75 minutes at a temperature of at least 45°C;
    - (ii) for at least 120 minutes at a temperature of at least 40°C; or
- (3) in the case of barrels and mobile bottling plants, cleaned free of soil and organic matter.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration

#### Condition 25J - Grape Phylloxera: Filtered juice

Condition revoked. Filtered juice may enter Victoria without restriction.

#### Condition 25K - Grape Phylloxera: Soil

Any soil, including samples of soil for diagnostic purposes, sourced from a place covered by an Area Freedom Certificate declaring area freedom from grape phylloxera, or from a property on which grape vines are not grown, may enter Victoria without restriction, otherwise-

the movement of **soil** into Victoria is prohibited, except in the case of samples of soil for diagnostic purposes, where certified that the samples have been packed in an air tight container and sealed with packing tape; and

- (1) consigned to an accredited facility; or
- (2) disinfested by:
  - (a) autoclaving at 121°C and 103kPa for 15 minutes; or 134°C and 103kPa for 4 minutes; or
  - (b) freezing to -18°C for 24 hours; or
  - (c) freezing and transfer under liquid nitrogen at -196°C; or
  - (d) freeze drying; or
  - (e) oven drying to 45°C for 2 hours; or
  - (f) hot water treatment at 54±1°C for 5 minutes; or
  - (g) fixing in formalin/acetic acid, 70% ethanol etc.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration

<b>Condition 26 - Potato Cyst Nematode: Potatoes for planting/propagation</b>
---

Any potato for planting or propagation, including seed potatoes, grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from potato cyst nematode may enter Victoria without restriction, otherwise-

the movement of any **potato for planting or propagation (including seed potatoes)**, into Victoria is prohibited unless-

- (1) the potatoes have been-
  - (a) produced under the requirements of a national certified seed scheme\* and accompanied by the certified seed tag, or
  - (b) in the case of generation zero (G0)\* seed, be produced under the specifications of a national seed scheme and be accompanied by the black label national certified seed tag, or
  - (c) in the case of one-off seed (smalls), be accompanied with a plant health certificate certifying that the property where the produce was grown has been tested\* during the current growing season and found free of potato cyst nematode.

\* National Certified Seed Scheme means:

- (i) a scheme approved by the Plant Health Committee;
- (ii) a scheme which requires an approved method of soil-testing during the current growing season and found free from potato cyst nematode;
- (iii) seed potatoes certified under this scheme must have approved national certified seed tags attached to the consignment which eliminate the requirement for plant health certification; or
- (iv) generation zero (G0) seed produced under this scheme is exempted as it is produced in an approved facility and accompanied by the black label national certified seed tag.

Seed potato certification schemes deemed to meet National Standards are:

- Victorian Certified Seed Potato Authority (ViCSPA) Seed Potato Certification Scheme;
- Tasmanian Certified Seed Potato Scheme (TasSeed).

\*Generation Zero (G0) means mini tubers and tissue culture produced in a soil-less media and from a facility approved under a national certified seed scheme.

\*Tested means in a manner approved by the Plant Health Committee or as defined in the national certified seed scheme.

**Documentation requirement:** PHC

**Condition 27A - Lupin Anthracnose: Plants**

Any plant of *Lupinus* species sourced from a place covered by an Area Freedom Certificate declaring area freedom from lupin anthracnose may enter Victoria without restriction, otherwise-  
the entry or importation into Victoria of any **plant of *Lupinus* species** is prohibited unless-

- (1) The plants were inspected by an officer of the department responsible for agriculture in the State or Territory where the plants were grown during the period September to November and they are found free of any symptoms of the disease not more than 20 days prior to export..

**Documentation requirement:** PHC, PHAC or Plant Health Declaration..

**Condition 27B - Lupin Anthracnose: Lupin grain, husks, hay, straw and fodder.**

Any lupin grain, husks, hay, straw, fodder of *Lupinus* species grown in or sourced from a place covered by an Area Freedom Certificate declaring area freedom from lupin anthracnose, may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **lupin grain, husks, hay, straw, fodder of *Lupinus* species**, is prohibited unless –

- (1) The material is marketed and sold for:
  - (a) human consumption
  - (b) stockfeed, or
  - (c) processing.

**Documentation requirement:** Nil.

**Condition 27C - Lupin Anthracnose: Agricultural equipment or packages**

Any agricultural equipment or package sourced from a place covered by an Area Freedom Certificate declaring area freedom from lupin anthracnose may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of **agricultural equipment** used for the cultivation, harvesting, packing, processing or transportation of any plant or plant product of *Lupinus* species or package that has contained any plant or plant product of *Lupinus* species is prohibited unless accompanied by a permit obtained from the Department.

**Documentation requirement:** Permit from the Department and PHC.

**Condition 27D - Lupin Anthracnose: Diagnostic samples**

Any diagnostic samples of any plant or plant product of *Lupinus* species grown in or sourced from a place covered by an Area Freedom Certificate declaring area freedom from lupin anthracnose may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of **diagnostic samples** of any plant or plant product of *Lupinus* species is prohibited unless accompanied by a permit obtained from the Department.

**Documentation requirement:** Permit from the Department and PHC.

**Condition 27E - Lupin Anthracnose: Grain for human consumption**

Condition revoked.

**Condition 27F - Lupin Anthracnose: Seed for sowing**

Any seed for sowing of *Lupinus* species grown in or sourced from a place covered by an Area Freedom Certificate declaring area freedom from lupin anthracnose, may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any seed for sowing of *Lupinus* species is prohibited unless –

- (1) The seed was grown from plants, which were grown from seed tested and found free of lupin anthracnose; and
  - (a) sown and harvested using equipment which has not been used on crops known to be infected with lupin anthracnose within the previous two years; and
  - (b) treated with a fungicide registered for the control of lupin anthracnose, at a rate specified on the label; or

- (2) sampled, where for every 25t of material in the consignment, 40 samples are taken, from which a 1.5kg sub-sample is obtained, tested and found free of lupin anthracnose.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 28 - Spiralling Whitefly

Any plant sourced from a place covered by an Area Freedom Certificate declaring area freedom from spiralling whitefly may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of a **plant or part of a plant intended for cultivation in a glasshouse, hothouse or an indoor area** is prohibited unless:

- (1) the plant or part of a plant is grown on a property which is located more than 10km from a detection of spiralling whitefly; or
- (2) the plant or parts of the plant were grown on a property that is free of spiralling whitefly; or
- (3) inspected and found free of spiralling whitefly; or
- (4) treated by:
  - (a) cover spraying to the point of run off with a mixture containing a commercial wetting agent at the rate specified on the product's registered label; and
    - (i) 0.75mL 400g/L dimethoate; or
    - (ii) 0.5mL 80g/L bifenthrin; or
    - (iii) 0.4mL 100g/L bifenthrin per L of water; or
  - (b) full immersion in a mixture containing 0.75mL of a concentrate containing 400g/L dimethoate for a minimum of 10seconds; and
- (5) packed so as to prevent infestation with spiralling whitefly.

**Documentation requirement:** PHC, PHAC under ICA-35 or ICA-36 or Plant Health Declaration.

#### Condition 30 - Citrus Tristeza Virus: Plants or plant parts

Any host plant\* sourced from a place covered by an Area Freedom Certificate declaring area freedom from citrus tristeza virus may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **host plant or plant part\*** is prohibited.

\*Note: host plant means any plant or plant part (excluding fruit or kaffir lime leaves for human consumption) of the genus *Citrus* or the genus *Fortunella*.

#### Condition 33 - Noxious Weeds: Guidance only

Under S71 of the *Catchment and Land Protection Act 1994*, "a person must not wilfully bring or cause to be brought into Victoria or transport within Victoria the seeds of a noxious weed or any other part of a noxious weed which is capable of growing whether or not for sale, without a permit from the Secretary." The movement of noxious weed contaminated fodder, stock, grain, machinery, soil, gravel or stone is also prohibited.

**Note:** Seeds or other hosts may be tested prior to import into Victoria by an accredited seed testing laboratory for the presence of weed seed. A permit is required only if any weed seed is present in the consignment.

(For further details contact the Department Customer Service Centre on 136 186.)

#### Condition 35A - Asparagus Stem Blight: Asparagus spears and seeds.

Any plant or plant part sourced from a place covered by an Area Freedom Certificate declaring area freedom from asparagus stem blight otherwise-

the entry or importation into Victoria of any **plant, plant part or plant product of the genus *Asparagus*** (including ornamental asparagus) is prohibited unless certified that;

- (1) in the case of asparagus spears, the spears undergo -
  - (a) packing line treatment, at a minimum concentration at least 50ppm available chlorine, at a rate of not less than 20L/min, where the pH is maintained between 6.5 to 7.0; and where spears remain wet for five minutes after treatment; or

- (b) hydro cooling treatment after packing at a minimum concentration at least 50ppm available chlorine, at a rate of not less than 20L/min, where the pH is maintained between 6.5 to 7.0; and the spears remain wet for five minutes after treatment.
- (2) in case of seeds, crowns or fern, comply with conditions of a permit issued by the Chief Plant Health Officer.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 35B - Asparagus Stem Blight: Agricultural equipment and packages

Any agricultural equipment or used package sourced from a place covered by an Area Freedom Certificate declaring area freedom from asparagus stem blight otherwise-

the entry into Victoria of any **agricultural equipment** which has been used in the harvesting, packing or processing of any asparagus plant, plant part or plant product, or any package which has contained any asparagus plant, plant part or plant product is prohibited, unless :

- (1) in the case of equipment, cleaned free of plant material and visible soil by-
  - (a) brushing; or
  - (b) high pressure water; or
  - (c) steam; and
- (2) in the case of packages, disinfected by dipping or spray rinsing for one minute with-
  - (a) a solution of phenolic disinfectant (eg. Biogram or Phensol) followed by rinsing with water; or
  - (b) a solution of at least 50 ppm available chlorine, where the pH is maintained between 6.5 to 7.0; or
  - (c) another disinfectant as approved by the Chief Plant Health Officer.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 36A - Fire Ant: Properties more than 5km from an infestation

Any host material sourced from a place covered by an Area Freedom Certificate declaring area freedom from red imported fire ants (RIFA) may enter Victoria without restriction, otherwise-

the movement into Victoria of any host material including; **plants, turf, landscaping materials, soil, hay and straw, used agricultural machinery or used package** is prohibited from a State or Territory or part of a State to Territory unless the property has been certified as being sourced from a property located more than 5km from a known or suspected RIFA infestation .

**Documentation requirement:** PHC, PHAC under ICA-38 or Plant Health Declaration.

#### Condition 36B - Fire Ant: Plants

Any plants grown on a property covered by an Area Freedom Certificate declaring area freedom from red imported fire ants (RIFA) may enter Victoria without restriction, otherwise-

the movement into Victoria of any **plants** from a property within 5km of a RIFA outbreak is prohibited unless the plants:

- (1) were grown on a property-
  - (a) which was inspected within the last 28 days by an authorised inspector and found free of fire ants; and
  - (b) where no fire ant host materials from a property known to be, or suspected of being infested with fire ants have been received; or
- (2) treated by:
  - (a) incorporation of 2g/kg granular bifenthrin at the rate of 10-40ppm/ m<sup>3</sup> of potting media; or
  - (b) drenching with a solution containing 30-40ml of 500g/l chlorpyrifos per 100l of water; or
  - (c) incorporation of 100g/kg granular chlorpyrifos at the rate of 1kg/ m<sup>3</sup> of potting media; or
  - (d) for householders only, drenching in a solution containing 16ml of 12.5/l cyfluthrin per 10l of water; or
- (3) in the case of containerised plants and flower or vegetable propagules, the plants are grown-
  - (a) in a fully enclosed growth house; and
  - (b) in a sterile medium; and
  - (c) not directly in contact with soil (eg. raised benches).

**Documentation requirement:** PHC, PHAC under ICA-39 or Plant Health Declaration. In the case of clause 2 above, certificates must be emailed to [plant.standards@ecodev.vic.gov.au](mailto:plant.standards@ecodev.vic.gov.au) or faxed to the Department on 03 8401 4902.

#### Condition 36C - Fire Ant: Landscaping materials and soil

Any material sourced from a place covered by an Area Freedom Certificate declaring area freedom from red imported fire ants (RIFA) may enter Victoria without restriction, otherwise- the movement into Victoria of any **landscaping material** or **soil** from a property within 5km of a RIFA outbreak is prohibited unless:

- (1) inspected within the last 28 days by an authorised inspector and found free of fire ants; and
- (2) treated by-
  - (a) heated to a minimum of 65.5°C using steam or dry heat; or
  - (b) in the case of diagnostic samples, by freezing to at least -20°C for at least 24hours; or
  - (c) processing by a mechanical method, such as hammer milling, so as to be free of red imported fire ants.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 36D - Fire Ant: Agricultural equipment and packages

Any equipment or used package sourced from a place covered by an Area Freedom Certificate declaring area freedom from red imported fire ants (RIFA) may enter Victoria without restriction, otherwise- the movement into Victoria of any used **agricultural equipment** or **package** which has contained any plant, plant product or plant material from a property within 5km of a RIFA outbreak is prohibited unless:

- (1) In the case of equipment, cleaned free of plant material and visible soil by-
  - (a) brushing; or
  - (b) high pressure water; or
  - (c) steam; and
- (2) in the case of packages, disinfected by dipping or spray rinsing for one minute with-
  - (a) a solution of phenolic disinfectant (e.g. Biogram or Phensol) followed by rinsing with water; or
  - (b) a solution of at least 50 ppm available chlorine, where the pH is maintained between 6.5 to 7.0; or
  - (c) another disinfectant as approved by the Chief Plant Health Officer; and
- (3) inspected and found free from fire ants.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 36E - Fire Ant: Hay and straw

Any material sourced from a place covered by an Area Freedom Certificate declaring area freedom from red imported fire ants (RIFA) may enter Victoria without restriction, otherwise- the movement into Victoria of any **hay** or **straw** from a property within 5km of a RIFA outbreak is prohibited unless treated by fumigation with methyl bromide at a rate of:

- (1) 24-32g/m<sup>3</sup> at 15°C+ for 24hours, or
- (2) 32-40g/m<sup>3</sup> at 10-15°C for 24hours.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

#### Condition 36F - Fire Ant: Turf

Any turf sourced from a place covered by an Area Freedom Certificate declaring area freedom from red imported fire ants may enter Victoria without restriction, otherwise-

the movement into Victoria of **turf** from a property within 5km of a RIFA outbreak is prohibited unless:

- (1) treated by cover spraying, at least 48 hours before lifting, with a solution of containing 500g/l of chlorpyrifos at the rate of 2L/ha; and
- (2) despatched within 28 days of treatment.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 37A - Blueberry Rust: Plants or plant products**

Any plants grown on a property covered by an Area Freedom Certificate declaring area freedom from blueberry rust, may enter Victoria without restriction, otherwise-

the entry of any **plant or plant product of *Vaccinium* genus** (including blueberry, cranberry and huckleberry) is prohibited unless treated in accordance with conditions detailed in a permit issued by the Chief Plant Health Officer.

**Documentation requirement:** Permit.

**Condition 37B - Blueberry Rust: Fruit**

Any fruit sourced from a place covered by an Area Freedom Certificate declaring area freedom from blueberry rust, may enter Victoria without restriction, otherwise-

the entry of any **fruit of *Vaccinium* spp**, including blueberry, cranberry or huckleberry, is prohibited, unless:

- (1) the crop has been:
  - (i) inspected within 14 days prior to harvest and no blueberry rust detected; or
  - (ii) sprayed within 14 days of harvest with a pre-harvest application of a fungicide registered for the treatment of blueberry rust as per label recommendations; and
- (b) the fruit has been inspected at despatch at the rate of 600 berries per consignment and found free of the symptoms of blueberry rust.
- (2) Any fruit, where grown and packed in New Zealand, may enter Victoria:
  - (a) without restriction where consigned directly into Victoria from New Zealand; or
  - (b) where consigned from another State, if:
    - (i) the entire lot is re-consigned, is not broken down and is accompanied by the original phytosanitary certificate, certifying compliance with clause (1); or
    - (ii) any part of the lot is accompanied by a PHC certifying compliance with clause (1) and a copy of the original phytosanitary certificate attached.

**Documentation requirement:** PHC, PHAC under ICA-31, Plant Health Declaration or Phytosanitary Certificate.

**Condition 37C - Blueberry Rust: Ornamental plants**

Any plants sourced from a place covered by an Area Freedom Certificate declaring area freedom from blueberry rust, may enter Victoria without restriction, otherwise-

the entry of any **ornamental blueberry rust host plants or plant products, excluding *Vaccinium* spp. (see 37A)** is prohibited unless certified that the plants have been inspected within 14 days of dispatch to Victoria and no blueberry rust detected. Ornamental blueberry rust host plants are:

<i>aylussacia</i>	<i>Leucothoe</i>	<i>Oxyccoccus</i>	<i>Rhododendron</i> (including
(black huckleberry)	<i>Lyonia</i>	<i>Pernettya</i>	Azalea)
<i>Hugeria</i>	<i>Menziesia</i>	<i>Pieris</i>	<i>Tsuga</i> (hemlock)

**Documentation requirement:** PHC, PHAC or Plant Health Declaration

**Condition 37D - Blueberry Rust: Agricultural equipment and packages**

Any equipment or package sourced from a place covered by an Area Freedom Certificate declaring area freedom from blueberry rust, may enter Victoria without restriction, otherwise-

the entry of any **agricultural equipment** used in the cultivation, harvesting, handling, packing, processing of blueberry fruit or plants, or **used package** which have contained blueberry fruit or plants is prohibited unless it has been:

- (a) cleaned free of soil and organic matter; and
- (b) steam cleaned; or
- (c) disinfected with a solution containing not less than 100ppm available chlorine used as a spray rinse or dump treatment.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 38A - Daylily Rust: Daylily Plants**

Any plants sourced from a place covered by an Area Freedom Certificate declaring area freedom from daylily rust may enter Victoria without restriction, otherwise-

the entry of **daylily plants** and **plant propagules** is prohibited unless:

- (1) the crop has been:
  - (a) inspected within 14 days of harvest and no daylily rust detected; or
  - (b) subject to an in-field rust control program using a fungicide registered for that purpose as per the label recommendation (or other measures agreed by the Chief Plant Health Officer); and
- (2) prior to consignment from the property, all leafy material is removed to the crown of the plant; and
- (3) remaining crown and roots have been postharvest dipped with a fungicide registered for rust control; and
- (4) the plants are packed and consigned free from soil and organic matter in new packages in a manner which prevents reinfestation with rust spores.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 38B - Daylily Rust: Agricultural equipment and packages**

Any agricultural equipment or used package sourced from a place covered by an Area Freedom Certificate declaring area freedom from daylily rust may enter Victoria without restriction, otherwise-

the entry of any **agricultural equipment** that has been used in the cultivation, harvesting, handling, packing, processing or transportation of **day lilies** or any **package** that has contained any daylily plant or plant part is prohibited unless it has been:

- (a) cleaned free of soil and organic matter; and
- (b) steam cleaned; or
- (c) disinfected with a solution containing not less than 100ppm available chlorine used as a spray rinse or dump treatment.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 41A - Lettuce Leaf Blight: Leafy green vegetables**

Condition revoked.

**Condition 41B - Lettuce Leaf Blight: Seedlings**

Condition revoked.

**Condition 41C - Lettuce Leaf Blight: Agricultural equipment and packages**

Condition revoked.

**Condition 41D - Lettuce Leaf Blight: Soil**

Condition revoked.



Condition 42 - Tomato Yellow Leaf Curl Virus
--

Any plant grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from Tomato Yellow Leaf Curl Virus (TYLCV) may enter Victoria without restriction, otherwise-

the entry or importation into Victoria of any **plant, or plant part (excluding fruit, truss tomatoes and seeds) of tomatoes (*Lycopersicon esculentum*), beans (*Phaseolus vulgaris*), lisianthus (*Eustoma grandiflorum*), lobed croton (*Croton lobatus*) and all species of *Capsicum*, *Euphorbia* and *Physalis*** is prohibited unless certified that the produce has been:

- (1) grown and packed on a property more than 20km from a known detection of TYLCV; or
- (2) grown under a pest management program which prevents that introduction of silverleaf whitefly and TYLCV that includes:
  - (a) propagation-
    - (i) in a silverleaf whitefly proof production area (eg screen house or glass house); or
    - (ii) using a treatment and weed control program involving:
      - a. a program of chemicals registered for the control of silverleaf whitefly; and
      - b. removal of weeds from inside production areas and areas surrounding production areas; and
      - c. monitoring of the production area for the presence of silverleaf whitefly; and
  - (b) in the case of material propagated vegetatively (eg from cuttings)-
    - (i) the plants from which the material is sourced (ie mother stock)
      - a. are tested at least every six months and found free of TYLCV; and
      - b. grown under conditions described in subclause 2(a); and
    - (ii) the cuttings are grown under conditions described in subclause 2(a); and
  - (c) inspection of 600 plants per consignment, and found free of silverleaf whitefly and TYLCV symptoms; and
  - (d) packing so as to prevent infestation with silverleaf whitefly.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration. In the case of clause 2 above, certificates must be emailed to [plant.standards@ecodev.vic.gov.au](mailto:plant.standards@ecodev.vic.gov.au) or faxed to the Department on 03 8401 4902.

Condition 43A - Electric Ant: Plants
--------------------------------------

Any plant grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from electric ant may enter Victoria without restriction, otherwise-

the movement into Victoria of any **plants** is prohibited unless the plants are;

- (1) sourced from a property which has-
  - (a) been inspected within the last 28 days by an authorised inspector and found free of electric ants; and
  - (b) not received electric ant host materials from a property known to be, or suspected of being, infested with electric ants unless treated in accordance with sub-clause (2) of this schedule; or
- (2) treated by:
  - (a) incorporation of 2g/kg granular bifenthrin at the rate of 10-40ppm/m<sup>3</sup> of potting media; or
  - (b) drenching with a solution containing 30-40ml of 500g/L chlorpyrifos per 100l of water; or
  - (c) incorporation of 100g/kg granular chlorpyrifos at the rate of 1kg/m<sup>3</sup> of potting media; or
  - (d) for householders only, drenching in a solution containing 16ml of 12.5g/L cyfluthrin per 10L of water; or
- (3) in the case of containerised plants and flower or vegetable propagules, grown-
  - (a) in a fully enclosed growth house; and
  - (b) in a sterile medium; and
  - (c) not directly in contact with soil (eg. raised benches).

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 43B - Electric Ant: Landscaping materials and soil**

Any landscaping material or soil sourced from a place covered by an Area Freedom Certificate declaring area freedom from electric ant enter Victoria without restriction, otherwise-  
the movement into Victoria of any **landscaping material** or **soil** from a property within 5km of an outbreak of electric ants is prohibited unless:

- (1) inspected within the last 28 days by an authorised inspector and found free of electric ants; and
- (2) heated to a minimum of 65.5°C using steam or dry heat.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 43C - Electric Ant: Hay and straw**

Any hay or straw grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from electric ant may enter Victoria without restriction, otherwise-  
the movement into Victoria of any **hay or straw** is prohibited unless fumigated with methyl bromide at a rate of:

- (1) 24-32g/m<sup>3</sup> at 15°C+ for 24hours, or
- (2) 32-40g/m<sup>3</sup> at 10-15°C for 24hours.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 43D - Electric Ant: Turf**

Any plant grown and packed in a place covered by an Area Freedom Certificate declaring area freedom from electric ant may enter Victoria without restriction, otherwise-  
the movement into Victoria of **turf** is prohibited unless:

- (1) treated by cover spraying, at least 48 hours before lifting, with a solution of containing 500g/L of chlorpyrifos at the rate of 2L/ha; and
- (2) despatched within 28 days of treatment.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 43E - Electric Ant: Agricultural equipment and packages**

Any equipment or used package sourced from a place covered by an Area Freedom Certificate declaring area freedom from electric ant may enter Victoria without restriction, otherwise-  
the movement into Victoria of any used **agricultural equipment** or **package** which has contained any plant, plant material or plant product is prohibited unless:

- (1) in the case of equipment, cleaned free of plant material and visible soil by-
  - (a) brushing; or
  - (b) high pressure water; or
  - (c) steam; and
- (2) in the case of packages, disinfected by dipping or spray rinsing for one minute with-
  - (a) a solution of phenolic disinfectant, eg. Biogram or Phensol, followed by rinsing with water; or
  - (b) a solution of at least 50 ppm available chlorine, where the pH is maintained between 6.5 to 7.0; or
  - (c) another disinfectant as approved by a Chief Plant Health Officer; and
- (3) inspected and found free of electric ants.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 44 - European House Borer**

Any host material sourced from a place covered by an Area Freedom Certificate declaring area freedom from European house borer may enter Victoria without restriction, otherwise-

the movement into Victoria of any **host material** is prohibited unless the material:

- (1) has one dimension less than 4mm thick; or
- (2) in the case of pallets, is sourced from a supplier approved under a scheme administered by Quarantine WA; or
- (3) is accompanied by a certificate, certifying that the material has been treated:
  - (a) with methyl bromide in accordance with the following table

Temperature	Dosage (g/m <sup>3</sup> )	Minimum concentration (g/m <sup>3</sup> ) at:			
		2hrs	4hrs	12hrs	24hrs
21°C or above	48	36	31	28	24
16°C or above	56	42	36	32	28
10°C or above	64	48	42	36	32

- (b) with another fumigant chemical approved by the Chief Plant Health Officer; or
- (c) with a preservative in accordance with Australian Standard AS 1604.1 - 2005 Specifications for preservative treatment - Sawn and round timber; or
- (d) by heating so that the core temperature is more than 56°C for not less than 30 minutes; and
- (e) in the case of structural pinewood, stored so as to prevent infestation
  - (i) in a secure building, which has been inspected and approved by an authorised officer as being suitable for the purpose of excluding European house borer; or
  - (ii) by fully wrapping in plastic film, which is not ripped, torn or otherwise damaged..

“**host material**” means any timber of pinewood, including seasoned pinewood, or any item made from timber of pinewood, including pallets, packing materials and structural pinewood, but excluding household furniture, and items made from processed pine.

**Documentation requirement:** PHC, PHAC or Plant Health Declaration.

**Condition 45A - Myrtle Rust: Plants and plant products**

Condition revoked.

**Condition 45B - Myrtle Rust: Agricultural equipment and packages**

Condition revoked.

**Condition 45C - Myrtle Rust: Diagnostic samples**

Condition revoked.

**Condition 45D - Myrtle Rust: Seeds**

Condition revoked.

**Condition 47A - Cucumber Green Mottle Mosaic Virus: Fruit**

Condition revoked.

**Condition 47B - Cucumber Green Mottle Mosaic Virus: Plants or plant parts**

Condition revoked.

**Condition 47C - Cucumber Green Mottle Mosaic Virus: Agricultural equipment and packages**

Condition revoked.

**Condition 47D - Cucumber Green Mottle Mosaic Virus: Earth material**

Condition revoked.

**Condition 48 - Potato Spindle Tuber Viroid**

Any potatoes of the *Solanaceae* family to be planted (**seed potatoes**) in Victoria sourced from a place covered by an Area Freedom Certificate declaring area freedom from Potato Spindle Tuber Viroid (PSTVd) may enter Victoria without restriction, otherwise-

the movement into Victoria of any **seed potatoes** is prohibited unless:

- (1) produced and certified by a business accredited under the seed potato certification scheme operated by the Victorian Certified Seed Potato Association (ViCSPA); or
- (2) Seed potatoes are sourced from a crop which has been found free of PSTVd by:
  - (a) sampling 200 leaves at random from the crop during the growing season; and
  - (b) testing the leaves in a diagnostic laboratory for absence of PSTVd.

**Documentation requirement:** PHC, PHAC, Plant Health Declaration or Certified Seed Tag

**Condition 49 - Pyriform Scale**

Any host plant sourced from a place covered by an Area Freedom Certificate declaring area freedom from pyriform scale, may enter Victoria without restriction, otherwise-

the movement into Victoria of any **host plant** is prohibited unless:

- (1) in the case of potted plants, be treated with a neonicotinoid insecticide registered for the control of scale, at rates specified on the label; or
- (2) in the case of bare rooted deciduous plants, be treated with an organophosphate insecticide registered for the control of scale, at rates specified on the label; and
- (3) be inspected at the rate of 600 or 2%, whichever is greater, and no pyriform scale detected.

“**host plant**” means any plant or plant product, excluding fruit, plants in tissue culture, and seeds, belonging to any of the following plant families:

Acanthaceae	Caprifoliaceae	Malpighiaceae	Phyllanthaceae
Agavaceae	Caricaceae	Malvaceae	Pittosporaceae
Anacardiaceae	Convolvulaceae	Moraceae	Punicaceae
Apocynaceae	Ebenaceae	Musaceae	Rubiaceae
Aquifoliaceae	Elaeocarpaceae	Myricaceae	Rutaceae
Araceae	Euphorbiaceae	Myrtaceae	Saxifragaceae
Araliaceae	Fabaceae	Oleaceae	Scrophulariaceae
Asclepidaceae	Lauraceae	Orchidaceae	Verbenaceae
Cannaceae	Lythraceae	Passifloraceae	

**Documentation requirement:** PHC, PHAC or Plant Health Declaration

**Condition 50A - Toolangi Plant Protection District: Potato tubers, rubus and strawberry plants**

The movement into the Toolangi Plant Protection District of any **potato tubers (except those for human consumption), Rubus and Strawberry plants** is prohibited unless inspected in a manner approved by the Secretary for prescribed pests and diseases and no pests or diseases have been found.

**Documentation requirement:** PHC, Plant Health Declaration.

**Condition 50B - Toolangi Plant Protection District: Agricultural equipment and used containers**

The movement into the Toolangi Plant Protection District of any **container or agricultural equipment** which has been used for planting, cultivation or harvesting of potatoes or other root vegetables is prohibited unless the container or equipment has been cleaned free of all plant material and soil.

**Documentation requirement:** PHC, Plant Health Declaration.

**Condition 50C - Toolangi Plant Protection District: Nursery plants, cut flowers or leafy vegetables.**

The import into the Toolangi Plant Protection District of any **nursery plants, cut flowers or leafy vegetables**, except for human consumption or domestic use, is prohibited unless certified that the nursery plant, cut flower or leafy vegetable:

- (1) has been grown and packed on a property which has been inspected by an authorised officer of the state department of agriculture and no Western Flower Thrips have been found; or
- (2) has been fumigated with methyl bromide at a dosage rate of 32gm<sup>3</sup> for three hours at a temperature of not less than 18°C; or
- (3) from a property monitoring for Western Flower Thrips under a protocol approved by Chief Plant Health Officer.

**Documentation requirement:** PHC, Plant Health Declaration.

**Attachments**

**Attachment 1:** Fruit fly host list (PSF-036)

**Attachment 2:** Contacts (PSF-037)