

VICTORIAN NOXIOUS WEEDS LIST
ALPHABETICAL BY SCIENTIFIC NAME

Current 20 July 2017

| SCHEDULE 1 | |
|---|--------------------------|
| State Prohibited Weeds | |
| Scientific name | Common name |
| <i>Acacia erioloba</i> E. Mey | Giraffe thorn |
| <i>Acacia karroo</i> Hayne | Karoo thorn |
| <i>Alhagi maurorum</i> Medik. | Camel thorn |
| <i>Alternanthera philoxeroides</i> (Mart.) Griseb. | Alligator weed |
| <i>Ambrosia psilostachya</i> DC. | Perennial ragweed |
| <i>Cannabis sativa</i> L. | Marijuana |
| <i>Carduus nutans</i> L. | Nodding thistle |
| <i>Centaurea nigra</i> L. | Black knapweed |
| <i>Eichhornia crassipes</i> (Mart) Solms | Water hyacinth |
| <i>Equisetum</i> L. spp. | Horsetail |
| <i>Fallopia japonica</i> (Houtt.) Ronse Decr. | Japanese knotweed |
| <i>Fallopia sachalinensis</i> (F. Schmidt ex Maxim) Ronse Decr. | Giant knotweed |
| <i>Fallopia x bohemica</i> (Chrtk & Chrtkova) J.P.Bailey | Japanese knotweed hybrid |
| <i>Festuca gautieri</i> (Hack.) K. Richt. | Bear-skin fescue |
| <i>Hieracium</i> spp. | Hawkweed |
| <i>Hypericum triquetrifolium</i> Turra | Tangled hypericum |
| <i>Iva axillaris</i> Pursh. | Poverty weed |
| <i>Lagarosiphon major</i> (Ridl.) Moss | Lagarosiphon |
| <i>Malvella leprosa</i> (Ortega) Krapov. | Ivy-leafed sida |
| <i>Nassella charruana</i> (Arechav.) Barkworth | Lobed needle grass |
| <i>Nassella tenuissima</i> (Trin.) Barkworth | Mexican feather grass |
| <i>Orobanche ramosa</i> L. | Branched broomrape |
| <i>Parthenium hysterophorus</i> L. | Parthenium weed |
| <i>Prosopis</i> spp. | Mesquite |
| <i>Salvinia molesta</i> D.S. Mitch. | Salvinia |

SCHEDULE 2

Regionally Prohibited Weeds (P), Regionally Controlled Weeds (C), or Restricted Weeds (R)

| Scientific name | Common name | Regions | | | | | | | | | |
|---|--------------------------------|---|----------------|----------|----------|--------|---------------|------------|------------------------------|----------------|---------|
| | | Corangamite | East Gippsland | Gleneleg | Goulburn | Mallee | North Central | North East | Port Phillip and Westernport | West Gippsland | Wimmera |
| <i>Acacia nilotica</i> (L.) Delile subsp. <i>indica</i> (Benth.) Brenan | Prickly acacia | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Ailanthus altissima</i> (Mill.) Swingle | Tree of heaven | R | C | C | C | R | R | C | C | C | R |
| <i>Allium triquetrum</i> L. | Angled onion | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Allium vineale</i> L. | Wild garlic | R | R | R | P | C | C | C | R | R | C |
| <i>Alternanthera pungens</i> Kunth. | Khaki weed | R | P | R | C | R | C | P | P | R | C |
| <i>Amsinckia</i> spp. | Amsinckia | P | C | P | C | R | C | C | C | P | R |
| <i>Andropogon gayanus</i> Kunth | Gamba grass | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Annona glabra</i> L. | Pond apple | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Anredera cordifolia</i> (Ten.) Steenis | Madeira vine | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Asparagus aethiopicus</i> L. | Ground asparagus | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Asparagus africanus</i> Lam. | Ornamental asparagus | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Asparagus asparagoides</i> (L.) Druce | Bridal creeper | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Asparagus declinatus</i> L. | Bridal veil creeper | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Asparagus plumosus</i> Baker | Climbing asparagus | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Asparagus scandens</i> Thunb. | Asparagus fern | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Austrocyllindropuntia</i> Backeb. spp. | Opuntoid cacti | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Calicotome spinosa</i> (L.) Link | Spiny broom | C | R | R | R | R | R | P | P | R | C |
| <i>Carduus tenuiflorus</i> Curtis/ <i>C. pycnocephalus</i> L. | Slender/ Shore thistle | R | C | R | R | R | R | C | C | C | R |
| <i>Carthamus lanatus</i> L. | Saffron thistle | R | C | R | C | R | R | C | C | C | C |
| <i>Cenchrus longispinus</i> (Hack.) Fernald | Spiny burr grass/ Gentle Annie | R | R | P | C | C | C | C | P | R | C |
| <i>Centaurea calcitrapa</i> L. | Star thistle | R | C | R | R | R | R | C | P | C | R |

SCHEDULE 2

Regionally Prohibited Weeds (P), Regionally Controlled Weeds (C), or Restricted Weeds (R)

| Scientific name | Common name | Regions | | | | | | | | | |
|--|--------------------------------|---|----------------|----------|----------|--------|---------------|------------|------------------------------|----------------|---------|
| | | Corangamite | East Gippsland | Gleneleg | Goulburn | Mallee | North Central | North East | Port Phillip and Westernport | West Gippsland | Wimmera |
| <i>Centaurea solstitialis</i> L. | St Barnaby's thistle | P | P | P | C | R | R | C | P | P | C |
| <i>Cestrum parqui</i> L'Her. | Chilean cestrum | R | P | R | C | R | R | C | P | P | C |
| <i>Chondrilla juncea</i> L. | Skeleton weed | R | R | C | R | R | R | R | P | R | R |
| <i>Chrysanthemoides monilifera</i> (L.) Norl. | Boneseed/ Bitou bush | C | P | C | C | C | P | P | C | C | C |
| <i>Cirsium arvense</i> (L.) Scop. | Californian/ Perennial thistle | C | C | C | C | R | P | P | C | C | C |
| <i>Cirsium vulgare</i> (Savi) Ten. | Spear thistle | R | C | R | R | R | R | C | C | C | R |
| <i>Conium maculatum</i> L. | Hemlock | C | R | R | C | R | R | C | C | C | R |
| <i>Convolvulus arvensis</i> L. | Bindweed | R | P | R | R | R | R | C | C | C | C |
| <i>Crataegus monogyna</i> Jacq. | Hawthorn | R | C | R | C | R | R | C | C | C | C |
| <i>Cryptostegia grandiflora</i> R. Br. | Rubber vine | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Cuscuta</i> L. spp. | Dodder | R | R | R | C | R | R | C | C | P | P |
| <i>Cylindropuntia</i> (Engelm.) F. M. Knuth spp. | Opuntoid cacti | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Cynara cardunculus</i> L. | Artichoke thistle | C | R | R | P | C | C | P | C | P | R |
| <i>Cytisus scoparius</i> (L.) Link | English broom | C | P | R | C | R | R | C | C | C | P |
| <i>Datura ferox</i> L. | Thorn apple (long-spine) | R | R | C | C | R | C | C | C | C | R |
| <i>Datura inoxia</i> Mill. | Thorn apple (recurved) | R | R | C | C | R | C | C | P | P | R |
| <i>Datura stramonium</i> L. | Thorn apple (common) | R | R | C | C | R | C | C | C | C | R |
| <i>Diplotaxis tenuifolia</i> (L.) DC. | Sand rocket/ Sand mustard | R | R | C | R | R | R | R | C | R | R |
| <i>Dipsacus fullonum</i> L. subsp. <i>fullonum</i> | Wild teasel | R | R | R | R | R | R | C | C | C | R |
| <i>Dittrichia graveolens</i> (L.) Greuter | Stinkwort | R | R | R | R | R | R | C | C | R | R |
| <i>Dolichandra unguicati</i> (L.) L.G. Lohmann | Cat's claw creeper | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Echium plantagineum</i> L. | Paterson's curse | C | C | C | C | R | C | C | C | C | C |

SCHEDULE 2

Regionally Prohibited Weeds (P), Regionally Controlled Weeds (C), or Restricted Weeds (R)

| Scientific name | Common name | Regions | | | | | | | | | |
|--|-------------------------------|---|----------------|---------|----------|--------|---------------|------------|------------------------------|----------------|---------|
| | | Corangamite | East Gippsland | Gleneig | Goulburn | Mallee | North Central | North East | Port Phillip and Westernport | West Gippsland | Wimmera |
| <i>Echium vulgare</i> L. | Viper's bugloss | C | C | C | C | R | R | C | C | C | C |
| <i>Emex australis</i> Steinh. | Spiny emex | R | R | R | C | C | R | C | P | R | P |
| <i>Eragrostis curvula</i> (Schrad.) Nees | African love grass | C | C | R | C | R | C | C | C | C | R |
| <i>Foeniculum vulgare</i> Mill. | Fennel | C | R | R | R | R | R | R | R | R | R |
| <i>Genista linifolia</i> L. | Flax-leaved broom | C | P | R | R | R | R | P | C | C | C |
| <i>Genista monspessulana</i> (L.) L.A.S. Johnson | Cape broom | C | C | R | C | R | R | C | C | C | C |
| <i>Hymenachne amplexicaulis</i> (Rudge) Nees | Hymenachne, Olive hymenachne | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Hypericum androsaemum</i> L. | Tutsan | R | C | R | C | R | R | C | C | C | R |
| <i>Hypericum perforatum</i> L. | St. John's wort | C | C | C | C | R | C | C | C | C | C |
| <i>Hypericum tetrapterum</i> Fr. | St. Peter's wort | R | R | R | R | R | R | C | C | R | R |
| <i>Jatropha gossypifolia</i> L. | Bellyache bush | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Juncus acutus</i> L. | Spiny rush | R | C | C | C | R | C | C | C | C | C |
| <i>Lantana camara</i> L. | Lantana | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Lavandula stoechas</i> L. | Topped lavender | R | R | R | R | R | R | C | R | R | R |
| <i>Lepidium draba</i> L. | Hoary cress | C | R | R | C | C | R | P | C | C | R |
| <i>Leucanthemum vulgare</i> Lam. | Ox-eye daisy | C | R | R | C | R | R | R | C | C | R |
| <i>Lycium ferocissimum</i> Miers | African boxthorn | C | C | C | C | C | C | C | C | C | C |
| <i>Marrubium vulgare</i> L. | Horehound | C | C | C | C | R | C | C | C | C | C |
| <i>Melianthus comosus</i> Vahl | Tufted honeyflower | R | R | R | C | R | R | R | C | C | R |
| <i>Mimosa pigra</i> L. | Mimosa, giant sensitive plant | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Moraea flaccida</i> (Sweet) Steud. | Cape tulip (one-leaf) | C | C | C | P | P | C | C | C | C | C |
| <i>Moraea miniata</i> Andrews | Cape tulip (two-leaf) | P | P | C | P | P | C | C | C | P | P |

SCHEDULE 2

Regionally Prohibited Weeds (P), Regionally Controlled Weeds (C), or Restricted Weeds (R)

| | | Regions | | | | | | | | | |
|--|------------------------------|---|----------------|----------|----------|--------|---------------|------------|------------------------------|----------------|---------|
| Scientific name | Common name | Corangamite | East Gippsland | Gleneleg | Goulburn | Mallee | North Central | North East | Port Phillip and Westernport | West Gippsland | Wimmera |
| <i>Nassella neesiana</i> (Trin. & Rupr.) Barkworth | Chilean needle grass | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Nassella trichotoma</i> (Nees.) Hack. ex Arechav. | Serrated tussock | C | P | P | P | P | P | P | C | C | P |
| <i>Onopordum acanthium</i> L. | Scotch/ Heraldic thistle | C | C | C | C | R | P | C | P | C | R |
| <i>Onopordum acaulon</i> L. | Stemless thistle | R | C | R | R | R | R | C | P | R | R |
| <i>Onopordum illyricum</i> L. | Illyrian thistle | R | P | R | P | R | C | P | P | R | R |
| <i>Opuntia</i> Mill. spp. (except <i>O. aurantiaca</i> Lindl., <i>O. monacantha</i> Haw., <i>O. robusta</i> H.L. Wendl. ex Pfeiff., <i>Opuntia stricta</i> (Haw.) Haw., <i>O. ficus-indica</i> (L.) Mill.) | Opuntoid cacti | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Opuntia aurantiaca</i> Lindl. | Tiger pear | C | P | P | C | P | P | P | C | C | P |
| <i>Opuntia monacantha</i> Haw. | Prickly pear (drooping) | R | R | R | R | C | C | C | C | P | C |
| <i>Opuntia robusta</i> H.L. Wendl. ex Pfeiff. | Wheel cactus | R | R | R | R | C | C | C | P | R | C |
| <i>Opuntia stricta</i> (Haw.) Haw. | Prickly pear (erect) | R | R | R | R | C | C | C | C | P | C |
| <i>Oxalis pes-caprae</i> L. | Soursob | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Parkinsonia aculeata</i> L. | Parkinsonia/ Jerusalem-thorn | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Pennisetum macrourum</i> Trin. | African feather grass | P | P | C | P | P | P | P | P | P | P |
| <i>Physalis hederifolia</i> A. Gray | Prairie ground cherry | C | R | R | C | C | C | C | C | R | P |
| <i>Picnemon acarna</i> (L.) Cass. | Soldier thistle | R | R | R | C | R | P | C | P | R | R |
| <i>Proboscidea louisianica</i> (Mill.) Thell. | Devil's claw (purple-flower) | R | R | C | C | R | R | C | P | R | R |
| <i>Proboscidea lutea</i> (Lindl.) Stapf | Devil's claw (yellow-flower) | R | R | C | C | R | R | C | P | R | R |
| <i>Reseda luteola</i> L. | Wild mignonette | Restricted weed (R) in the whole of the State | | | | | | | | | |

SCHEDULE 2

Regionally Prohibited Weeds (P), Regionally Controlled Weeds (C), or Restricted Weeds (R)

| | | Regions | | | | | | | | | |
|---|--------------------------------|---|----------------|----------|----------|--------|---------------|------------|------------------------------|----------------|---------|
| Scientific name | Common name | Corangamite | East Gippsland | Gleneleg | Goulburn | Mallee | North Central | North East | Port Phillip and Westernport | West Gippsland | Wimmera |
| <i>Rhaponticum repens</i> (L.) Hildalgo | Hardheads/ Russian knapweed | P | R | P | C | C | C | P | P | R | C |
| <i>Rosa rubiginosa</i> L. | Sweet briar | C | C | C | C | R | C | C | C | C | C |
| <i>Rubus fruticosus</i> L. agg. | Blackberry | C | C | C | C | R | C | C | C | C | C |
| <i>Sagittaria</i> L. spp. | Arrowhead | P | P | P | C | P | C | C | P | P | P |
| <i>Salix</i> spp. (except <i>Salix alba</i> var. <i>caerulea</i> (Sm.) Sm., <i>Salix alba</i> x <i>matsudana</i> , <i>Salix babylonica</i> L., <i>Salix X calodendron</i> Wimm., <i>Salix caprea</i> L. 'Pendula', <i>Salix matsudana</i> Koidz 'Aurea', <i>Salix matsudana</i> Koidz 'Tortuosa', <i>Salix myrsinifolia</i> Salisb., and <i>Salix X reichardtii</i> A. Kern.) | Willows | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Salpichroa organifolia</i> (Lam.) Thell. | Pampas lily-of-the-valley | R | P | R | R | R | R | C | C | R | R |
| <i>Scolymus hispanicus</i> L. | Golden thistle | C | R | P | C | R | C | P | C | R | R |
| <i>Senecio jacobaea</i> L. | Ragwort | C | C | C | P | R | R | P | C | C | R |
| <i>Senecio madagascariensis</i> Poir. | Fireweed | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Senecio pterophorus</i> DC. | African daisy | P | R | C | P | R | P | P | C | P | P |
| <i>Silybum marianum</i> (L.) J. Gaertn. | Variegated thistle | R | C | R | C | R | R | C | C | C | R |
| <i>Solanum elaeagnifolium</i> Cav. | Silverleaf nightshade | C | R | P | C | C | C | C | P | R | C |
| <i>Solanum linnaeanum</i> Hepper & P.-M.L. Jaeger | Apple of Sodom | R | C | R | R | R | R | P | C | C | R |
| <i>Solanum rostratum</i> Dunal | Buffalo burr | R | R | R | C | R | R | P | P | R | P |

SCHEDULE 2

Regionally Prohibited Weeds (P), Regionally Controlled Weeds (C), or Restricted Weeds (R)

| | | Regions | | | | | | | | | |
|--|------------------------------------|---|----------------|----------|----------|--------|---------------|------------|------------------------------|----------------|---------|
| Scientific name | Common name | Corangamite | East Gippsland | Gleneleg | Goulburn | Mallee | North Central | North East | Port Phillip and Westernport | West Gippsland | Wimmera |
| <i>Tamarix aphylla</i> (L.) H. Karst. | Athel pine/ tamarisk | Restricted weed (R) in the whole of the State | | | | | | | | | |
| <i>Tribulus terrestris</i> L. | Caltrop | C | R | C | C | R | C | C | P | P | C |
| <i>Ulex europaeus</i> L. | Gorse/ Furze | C | P | C | C | R | C | C | C | C | C |
| <i>Verbascum thapsus</i> L. | Great mullein | R | C | R | C | R | R | C | R | R | R |
| <i>Watsonia meriana</i> (L.) Mill. var <i>bulbillifera</i> (J.W. Mathews & L. Bolus) D.A. Cooke | Wild watsonia | C | C | R | R | R | R | C | C | C | R |
| <i>Xanthium spinosum</i> L. | Bathurst burr | C | C | C | C | R | C | C | C | C | C |
| <i>Xanthium strumarium</i> L. | Noogoora burr/ Californian burr | P | R | C | C | C | C | C | C | P | P |